

HPD UNIQUE IDENTIFIER: 28540

CLASSIFICATION: 10 11 16 Markerboards

PRODUCT DESCRIPTION: In Claridge's MIX line of highly customizable, mixed-material dry erase markerboards, those who design for collaborative communication environments now have more flexibility to achieve their desired aesthetic. Available in both Contemporary and Industrial styles.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

<p><b>Inventory Reporting Format</b></p> <p><input checked="" type="radio"/> Nested Materials Method</p> <p><input type="radio"/> Basic Method</p> <p><b>Threshold Disclosed Per</b></p> <p><input type="radio"/> Material</p> <p><input checked="" type="radio"/> Product</p>	<p><b>Threshold Level</b></p> <p><input type="radio"/> 100 ppm</p> <p><input checked="" type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p>	<p><b>Residuals/Impurities</b></p> <p>Considered in 7 of 7 Materials</p> <p><b>Explanation(s) provided for Residuals/Impurities?</b></p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><i>All Substances Above the Threshold Indicated Are:</i></p> <p><b>Characterized</b> <input checked="" type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input type="radio"/> No</p> <p><i>% weight and role provided for all substances except SC substances characterized according to SC guidance.</i></p> <p><b>Screened</b> <input checked="" type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances screened using Priority Hazard Lists with results disclosed except SC substances screened according to SC guidance.</i></p> <p><b>Identified</b> <input type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input checked="" type="radio"/> No</p> <p><i>One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.</i></p>
--	--	---	--

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**

**GREENSCREEN SCORE | HAZARD TYPE**

RED OAK LUMBER [ SC:RED OAK WOOD Not Screened ]

CARDBOARD TYPE HONEYCOMB CORE [ WOOD/CELLULOSE FIBER NoGS ]

PORCELAIN STEEL WRITING SURFACE [ STEEL NoGS ]

ALUMINUM OXIDE BM-2 | RES BORIC OXIDE BM-1 | REP | MUL

LITHIUM OXIDE (LI2O) LT-UNK POTASSIUM OXIDE (K2O) BM-2

SILICA BM-1 | CAN ] STEEL BACKER FOR PANEL [ STEEL NoGS ]

ALUM EXTRUSION [ ALUMINUM POWDER BM-1 | END | RES | PHY ]

LAMINATING ADHESIVE [ UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 UNDISCLOSED LT-UNK UNDISCLOSED BM-4 ]

LACQUER [ BUTYL ACETATE LT-UNK ]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special conditions applied: BiologicalMaterial

[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.

Inventory & Screening Notes: This product inventory was screened to the 1000 ppm threshold.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Certified

VOC emissions: UL/GreenGuard Gold Certified

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2022-05-13

PUBLISHED DATE: 2022-05-13

EXPIRY DATE: 2025-05-13

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-2-standard](http://www.hpd-collaborative.org/hpd-2-2-standard)

### RED OAK LUMBER

#: 42.5500 - 42.5500

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Wood or Lumber

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to be below the 1000 ppm reporting threshold.

OTHER MATERIAL NOTES:

#### SC:RED OAK WOOD

ID: SC:Bio

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: Not Screened

#: 100.0000 - 100.0000

GS: Not Screened

RC: None

NANO: No

SUBSTANCE ROLE: Structure component

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES:

Version: SCBioMats/2018-02-23

Category: Tree-based materials

Identifier: Wood

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

### CARDBOARD TYPE HONEYCOMB CORE

#: 20.5600 - 20.5600

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Paper or Cardboard

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to be below the 1000 ppm reporting threshold.

OTHER MATERIAL NOTES:

#### WOOD/CELLULOSE FIBER

ID: 65996-61-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2022-05-13 9:34:49

#: 100.0000 - 100.0000

GS: NoGS

RC: none

NANO: No

SUBSTANCE ROLE: Filler

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

### PORCELAIN STEEL WRITING SURFACE

#: 14.1900 - 14.1900

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to be below the 1000 ppm reporting threshold.

OTHER MATERIAL NOTES:

**STEEL** ID: 12597-69-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-05-13 9:34:50**

#: **95.0000 - 95.0000** GS: **NoGS** RC: **none** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

**ALUMINUM OXIDE** ID: 1344-28-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-05-13 9:34:53**

#: **0.0000 - 5.0000** GS: **BM-2** RC: **none** NANO: **No** SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES:

**BORIC OXIDE** ID: 1303-86-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-05-13 9:34:53**

#: **0.0000 - 5.0000** GS: **BM-1** RC: **none** NANO: **No** SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
REP	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 2 - Substances which should be regarded as if they impair fertility or cause Developmental Toxicity in humans
REP	EU - SVHC Authorisation List	Toxic to reproduction - Prioritized for listing
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
REP	GHS - Australia	H360FD - May damage fertility. May damage the unborn child [Reproductive toxicity - Category 1A or 1B]
REP	GHS - Korea	H360 - May damage fertility or the unborn child [Reproductive toxicity - Category 1]
REP	EU - GHS (H-Statements) Annex 6 Table 3-1	H360FD - May damage fertility. May damage the unborn child [Reproductive toxicity - Category 1A or 1B]

SUBSTANCE NOTES:

**LITHIUM OXIDE (LI2O)** ID: 12057-24-8

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2022-05-13 9:34:52</b>	
%: <b>0.0000 - 5.0000</b>	GS: <b>LT-UNK</b>	RC: <b>none</b>	NANO: <b>No</b> SUBSTANCE ROLE: <b>Polymer species</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES:			

**POTASSIUM OXIDE (K2O)** ID: **12136-45-7**

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2022-05-13 9:34:51</b>	
%: <b>0.0000 - 5.0000</b>	GS: <b>BM-2</b>	RC: <b>none</b>	NANO: <b>No</b> SUBSTANCE ROLE: <b>Polymer species</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES:			

**SILICA** ID: **7631-86-9**

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2022-05-13 9:34:52</b>	
%: <b>0.0000 - 5.0000</b>	GS: <b>BM-1</b>	RC: <b>none</b>	NANO: <b>No</b> SUBSTANCE ROLE: <b>Polymer species</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]	
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]	
SUBSTANCE NOTES:			

**STEEL BACKER FOR PANEL** %: **12.8400 - 12.8400**

PRODUCT THRESHOLD: <b>1000 ppm</b>	RESIDUALS AND IMPURITIES CONSIDERED: <b>Yes</b>	MATERIAL TYPE: <b>Metal</b>
RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to be below the 1000 ppm reporting threshold.		
OTHER MATERIAL NOTES:		

**STEEL** ID: **12597-69-2**

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2022-05-13 9:34:50</b>	
%: <b>100.0000 - 100.0000</b>	GS: <b>NoGS</b>	RC: <b>none</b>	NANO: <b>No</b> SUBSTANCE ROLE: <b>Structure component</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES:			

**ALUM EXTRUSION**

%: 7.8300 - 7.8300

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to be below the 1000 ppm reporting threshold.

OTHER MATERIAL NOTES:

**ALUMINUM POWDER**

ID: 7429-90-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-05-13 9:34:49

%: 100.0000 - 100.0000 GS: BM-1 RC: none NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H228 - Flammable solid [Flammable solids - Category 1 or 2]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H261 - In contact with water releases flammable gases [Substances and mixtures which, in contact with water, emit flammable gases - Category 2 or 3]

SUBSTANCE NOTES:

**LAMINATING ADHESIVE**

%: 1.6700 - 1.6700

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to be below the 1000 ppm reporting threshold.

OTHER MATERIAL NOTES:

**UNDISCLOSED**

ID: Undisclosed

HAZARD SCREENING METHOD: Toxnot Chemical Hazard Screening Library HAZARD SCREENING DATE: 2021-10-07 6:48:31

%: 80.0000 - 85.0000 GS: LT-UNK RC: none NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

**UNDISCLOSED**

ID: Undisclosed

HAZARD SCREENING METHOD: Toxnot Chemical Hazard Screening Library HAZARD SCREENING DATE: 2021-10-07 6:48:32

%: 3.0000 - 5.0000 GS: LT-UNK RC: none NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

HAZARD SCREENING METHOD: **Toxnot Chemical Hazard Screening Library** HAZARD SCREENING DATE: **2021-10-07 6:48:32**

#: **2.5000 - 3.5000** GS: **LT-P1** RC: **none** NANO: **No** SUBSTANCE ROLE: **Plasticizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

HAZARD SCREENING METHOD: **Toxnot Chemical Hazard Screening Library** HAZARD SCREENING DATE: **2021-10-07 6:48:32**

#: **2.5000 - 3.5000** GS: **LT-UNK** RC: **none** NANO: **No** SUBSTANCE ROLE: **Plasticizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

HAZARD SCREENING METHOD: **Toxnot Chemical Hazard Screening Library** HAZARD SCREENING DATE: **2021-10-07 6:48:32**

#: **2.5000 - 3.5000** GS: **LT-P1** RC: **none** NANO: **No** SUBSTANCE ROLE: **Plasticizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

HAZARD SCREENING METHOD: **Toxnot Chemical Hazard Screening Library** HAZARD SCREENING DATE: **2021-10-07 6:48:32**

#: **2.5000 - 3.5000** GS: **LT-UNK** RC: **none** NANO: **No** SUBSTANCE ROLE: **Plasticizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

HAZARD SCREENING METHOD: **Toxnot Chemical Hazard Screening Library** HAZARD SCREENING DATE: **2021-10-07 6:48:32**

#: **1.0000 - 5.0000** GS: **BM-4** RC: **none** NANO: **No** SUBSTANCE ROLE: **Solvent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

**LACQUER**

%: 0.3600 - 0.3600

PRODUCT THRESHOLD: 1000 ppm      RESIDUALS AND IMPURITIES CONSIDERED: Yes      MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to be below the 1000 ppm reporting threshold.

OTHER MATERIAL NOTES:

**BUTYL ACETATE**

ID: 123-86-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library      HAZARD SCREENING DATE: 2022-05-13 9:34:51

%: 25.0000 - 50.0000      GS: LT-UNK      RC: none      NANO: No      SUBSTANCE ROLE: Polymer species

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

VOC EMISSIONS	UL/GreenGuard Certified		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2021-09-	EXPIRY DATE: 2022-	CERTIFIER OR LAB: UL
APPLICABLE FACILITIES: All Facilities	20	07-28	
CERTIFICATE URL: <a href="https://spot.ul.com/main-app/products/detail/5e5fded555b0e820087a3ee5?page_type=Products%20Catalog">https://spot.ul.com/main-app/products/detail/5e5fded555b0e820087a3ee5?page_type=Products%20Catalog</a>			
CERTIFICATION AND COMPLIANCE NOTES: UL 2818 - 2013 Standard for Chemical Emissions for Building Materials, Finishes and Furnishings			
Certificate Number: 165288-410			

VOC EMISSIONS	UL/GreenGuard Gold Certified		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2021-09-	EXPIRY DATE: 2022-	CERTIFIER OR LAB: UL
APPLICABLE FACILITIES: All Facilities	20	07-28	
CERTIFICATE URL: <a href="https://spot.ul.com/main-app/products/detail/5e5fded555b0e820087a3ee5?page_type=Products%20Catalog">https://spot.ul.com/main-app/products/detail/5e5fded555b0e820087a3ee5?page_type=Products%20Catalog</a>			
CERTIFICATION AND COMPLIANCE NOTES: UL 2818 - 2013 Standard for Chemical Emissions for Building Materials, Finishes and Furnishings			
Certificate Number: 165288-420			

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

This Health Product Declaration was prepared by Sustainable Solutions Corporation of Royersford, PA on behalf of Claridge Products.



**MANUFACTURER INFORMATION**

**MANUFACTURER:** Claridge Products  
**ADDRESS:** 602 Highway 62-65 South  
 Harrison AR 72601, United States  
**WEBSITE:** <https://claridgeproducts.com/>

**CONTACT NAME:** Rick Gomory  
**TITLE:** Content Manager  
**PHONE:** 847-991-8822  
**EMAIL:** [RGomory@claridgeproducts.com](mailto:RGomory@claridgeproducts.com)

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-UNK</b> List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>NoGS</b> No GreenScreen.
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	
<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)	

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*