Claridge Glass
Wall-Mounted Markerboard

Claridge

Claridge Glass dry erase whiteboards are stylish, functional and easy to maintain. Made from low-iron, ultra-clear glass for exceptional clarity, Claridge Glass is available in 10 standard colors and over 180 optional powder coat colors, with three different mounting options.

- Ultra-clear Claridge Glass never stains or ghosts
- Three mounting options: Invisi-Mount, Standoff Edge or Standoff Through Glass Mounts
- Magnetic surface is great for tacking notes and collaboration
- Custom options and sizes available
- Claridge Glass is SCS Indoor Advantage Certified, eco-friendly, and emits no VOC's

Claridge Glass
Wall-Mounted Markerboard

SPECIFICATIONS

- 1/4" low iron ultra clear glass
- Available in magnetic and non-magnetic glass
- Scratch and stain resistant
- 4 rare earth magnets included with each markerboard
- All mounting hardware included

GLASS HIGHLIGHTS

- Bacteria resistant
- Premium writing surface
- Heavy material
- Reflective surface
- Magnetic option
- Lower contrast

View Writing Surface Comparison HERE

COLORS

- 10 standard glass colors
- 180 optional glass colors
- Custom color matching available

View Claridge Glass Colors HERE

CUSTOMIZE

- Custom shape and size available
- Custom logo and artwork print direct to glass

LEARN MORE

MOUNTING STYLE OPTIONS

Invisi-mount

Standoff Edge Mount

Standoff Through Mount

STANDARD SIZES (HxW)

5' x 4'	5' x 6'	5' x 8'	5' x 10'	
4' x 4'	4' x 6'	4' x 8'	4' x 10'	4' x 12'
3' x 4'				
2' x 3'				

Glass
Markerboard

Magnetic with
Invisi-mount

INSTALLATION INSTRUCTIONS

Note:
Number of dual-lock assemblies furnished varies with markerboard size.
4' markerboards get 3 dual-lock sets; 6' size gets 4; 8' size gets 5.

Use caution when positioning glass markerboard panels next to each other. Because the weakest point of tempered glass is along the edges, edges should be protected as much as possible. Take care not to bump, rub, or grind edges together as fracturing may occur. Calyx will not be held responsible for damage caused by improper handling during installation.

Dual lock is a registered trademark of 3M Corporation.

WARNING
Risk of injury to installers and users
Read the entire assembly directions before
beginning assembly.

Glass Markerboard with Invisi-mount

5/16"

1/4"

GLASS MARKERBOARD

APPROX.
5/16"

PAINTED STEEL BACKING

DUAL LOCK TAB

DUAL LOCK
WASHER

SECTION "AA"

INSTALLATION INSTRUCTIONS

1. Determine and mark desired height for mounting the magnetic glass markerboard

2. Measure down $1\,^9/_{16}$" from designated height and strike a horizontal line for the bottom of the Z-bar.

3. Attach Z-bar hanger to wall using appropriate screws. Note: Slotted holes in hanger bar ensure easy alignment.

4. Position board on top of hanger and engage with hanger on back of glass markerboard.

5. Make a mark at bottom corners of glass markerboard and carefully remove board from wall.

6. Measure in and up approximately 2-to-3" from marked corners and install dual-lock 'disk' (washer) on wall using appropriate fastener. Press dual-lock strip (tab) firmly into disk on wall making sure mating is secure. (Dual-locks should be evenly spaced along the bottom of board).

7. Remove tape from assembly.

8. Reinstall markerboard, engaging hanger on back of markerboard with hanger on wall.

9. Press in at the bottom allowing the back of the glass markerboard to stick to the exposed adhesive on the hook and loop assembly.

Claridge

Glass
Markerboard

Magnetic with Edge-mounts

INSTALLATION INSTRUCTIONS

Parts List:
· Glass Markerboard
· Adjustable Edge Grip Stand-offs (number varies with board size)

Tools needed:
· Drill and Drill Bit
· Screwdriver
· Tape Measure and Level
· Hardware appropriate for wall installation

WARNING
Risk of injury to installers and users
Read the entire assembly directions before beginning assembly.

Glass Markerboard with Edge-mounts

APPROX.
1 1/4"
FACE
TYP.

BLACK RUBBERIZED
FOAM

GLASS MARKERBOARD

2 11/16"

1 3/16"

3/4"

MGM

HEIGHT

WIDTH

INSTALLATION INSTRUCTIONS

1. Determine the desired height for the bottom of your glass markerboard.

2. Measure up 1-1/4" from desired height and strike a horizontal line.

3. Determine the length of your board and measure in 3" from both ends of the board and drill a hole for the edge grips. NOTE: Space evenly if more than four edge grips are furnished. (4' lengths and smaller are furnished with four edge grip stand-offs; 6' and 8' lengths are furnished with six: three for the top and three for the bottom.)

4. Fasten the edge grips to wall using fasteners appropriate for wall.

5. Determine top height of board, measure down 13/16" and strike a line, making sure line is level.

6. Install top edge grips following instructions in Step 3.

7. Raise adjustable edge grips at top up as high as possible.

8. Position glass board in groove of bottom edge grips and set in place.

9. Very gently tap top edge grips down until they are snug against the top of the board.

10. Make sure all edge grip stand-off caps are screwed on securely.

    Note: MGM magnetic glass boards are furnished with rare earth magnets. Additional Magnetic Markerboard Accessories are optional.

Glass
Markerboard

Magnetic with Through-mounts

INSTALLATION INSTRUCTIONS

Parts List:
· Glass Markerboard
· Stand-offs (number varies with board size)

Tools Needed
· Pencil
· Level
· Drill
· 2mm allen wrench

WARNING
Risk of injury to installers and users
Read the entire assembly directions before
beginning assembly.

Glass Markerboard with Through-mounts

Barrel

Washer

Washer
Cap

Figure 1

INSTALLATION INSTRUCTIONS

1. Using a level, position the glass board on the wall, use the holes in the glass and mark their location on the wall.

2. Remove board from wall and pre-drill holes in center of circle.

3. Using appropriate screw, install the barrel of the standoffs, repeat for remaining standoffs. (We suggest you anchor into studs, if that is not an option, use fasteners appropriate for your wall type)

4. Make sure to position the barrel where the allen bolt is accessible after glass is installed. (see Figure 1)

5. Position glass centering holes on standoff barrel, making sure to add nylon washer to each side of glass.

6. Screw in cap. Once cap is tight, tighten allen bolts with 2 mm allen wrench.

Wood

Concrete

Drywall

Anchor for concrete

Anchor for drywall

Always check the installation surface to ensure that the substrate will be strong enough to hold the weight of the panel. All installation must be done so with proper hardware and protective gears to ensure safety. It is important to check that parts are properly tightened at the end of each installation.

Standard Color Selections

|				
Brilliant White	Calm White	Signal White	Telegrey	Signal Grey

|				
Pure White	Oyster White	Beige	Squirrel Grey	Yellow Grey

Claridge Glass features an ultra clear writing surface that won't ghost or stain.
An environmentally friendly process that offers 10 standard colors, 180 optional and unlimited custom colors for use on markerboards and walls.

• Works with standard dry-erase markers
• Doubles as a "tack" surface for use with magnetic accessories
• Resists humidity and fading
• SCS Indoor Advantage certified
• Eco-friendly, emits no VOCs

· Dry Erase markers can be wiped off using a standard eraser, microfiber eraser cloth or any dry cloth. Permanent markers may be removed using a standard glass cleaner.

· Periodic cleaning may be performed using glass cleaner. Avoid using abrasive type cleaners as they may dull or "pit" the surface of the glass.

· Always use a soft cloth, towel or microfiber cloth from Claridge to clean your Claridge Glass writing surface.

· Avoid cleaning glass if the surface is hot or in direct sunlight.

· Avoid leaving tape or other adhesives on your glass writing surface for long periods of time.

Recommended Accessories:

Dry Erase Cloth

Product Code ECM227E - each
  ECM227D - 1 dozen

• 12"x12" Microfiber eraser cloth with a small magnet
• Erases cleanly with no smearing
• Reduces marker residue build-up

Magnetic Eraser

Product Code MGM-ME1

• Black felt eraser with strong rare earth magnets
• Measures 4-1/2" long, 2-1/8" wide and 7/8" thick

Claridge®

POWDER COATINGS
Color Guide

An environmentally friendly process that offers a wide range of decorative, functional colors for use on glass markerboards, walls, and metal frames.

BENEFITS OF POWDER COATING

• More durable than baked enamels

• Delivers a brighter, smoother and cleaner finish

• Environmentally friendly, produces less hazardous waste than conventional liquid coatings

• Color choices are virtually unlimited with custom color matching

Colors are reproduced with reasonable accuracy in standard Gloss finish unless noted Matte.
If match is critical, contact us at 800-434-4610 for actual samples

custom
colors

Powder Coat Colors

|					
RAL9016 Traffic White	RAL9002 Grey White	RAL9018 Papyrus White	RAL7038 Agate Grey	RAL7035 Light Grey	RAL7044 Silk Grey
RAL9010 Pure White	RAL9003 Signal White	RAL9001 Cream	RAL7047 Telegrey 4	RAL7036 Platinum Grey	RAL7045 Telegrey 1
RAL7032 Pebble Grey	RAL7033 Cement Grey	RAL7042 Traffic Grey A	RAL7004 Signal Grey	RAL7046 Telegrey 2	RAL7037 Dusty Grey
RAL7030 Stone Grey	RAL7034 Yellow Grey	RAL7005 Mouse Grey	RAL7040 Window Grey	RAL7012 Basalt Grey	RAL7043 Traffic Grey B
RAL7003 Moss Grey	RAL7013 Brown Grey	RAL7039 Quartz Grey	RAL7006 Beige Grey	RAL7000 Squirrel Grey	RAL7009 Green Grey
RAL7001 Silver Grey	RAL7010 Tarpaulin Grey	RAL7023 Concrete Grey	RAL7002 Olive Grey	RAL7022 Umbra Grey	RAL7011 Iron Grey
RAL6006 Grey Olive	RAL7008 Khaki Grey	RAL7016 Anthracite Grey	RAL7026 Granite Grey	RAL7024 Graphite Grey	RAL7021 Black Grey
RAL1013 Oyster White	RAL1015 Light Ivory	RAL1014 Ivory	RAL1000 Green Beige	RAL1001 Beige	RAL1011 Brown Beige
RAL1002 Sand Yellow	RAL1019 Grey Beige	RAL1020 Olive Yellow	RAL1024 Ochre Yellow	RAL1027 Curry	RAL1032 Broom Yellow

RAL1021 Yellow	RAL1018 Zinc Yellow	RAL1033 Dahlia Yellow	RAL2009 Traffic Orange	RAL2004 Pure Orange	RAL3004 Purple Red
RAL1016 Sulfur Yellow	RAL1012 Lemon Yellow	RAL1034 Pastel Yellow	RAL2010 Signal Orange	RAL2008 Bright Red Orange	RAL3005 Wine Red
RAL1028 Melon Yellow	RAL1023 Traffic Yellow	RAL2000 Yellow Orange	RAL2011 Deep Orange	RAL3002 Carmine Red	RAL3007 Black Red
RAL1003 Signal Yellow	RAL1017 Saffron Yellow	RAL2001 Red Orange	RAL2012 Salmon Orange	RAL3003 Ruby Redy	RAL3009 Oxide Red
RAL1004 Golden Yellow	RAL1006 Maize Yellow	RAL2002 Vermilion	RAL3000 Flame Red	RAL3013 Tomato Red	RAL3011 Brown Red
RAL1005 Honey Yellow	RAL1007 Daffodil Yellow	RAL2003 Pastel Orange	RAL3001 Signal Red	RAL3014 Antique Pink	RAL3012 Beige Red
RAL3015 Light Pink	RAL4001 Red Lilac	RAL4009 Pastel Violet	RAL3016 Coral Red	RAL4002 Red Violet	RAL4010 Telemagenta
RAL4003 Heather Violet	RAL4005 Blue Lilac	RAL3017 Rose	RAL3018 Strawberry Red	RAL3020 Traffic Red	RAL4004 Claret Violet
RAL4006 Traffic Purple	RAL4008 Signal Violet	RAL3022 Salmon Pink	RAL3027 Raspberry Red	RAL3031 Orient Red	RAL4007 Purple Violet

|					
RAL5024 Pastel Blue	RAL5007 Brilliant Blue	RAL5000 Violet Blue	RAL5009 Azure Blue	RAL5018 Turquoise Blue	RAL6001 Emerald Green
RAL5015 Sky Blue	RAL5023 Distant Blue	RAL5001 Green Blue	RAL5010 Gentian Blue	RAL5019 Capri Blue	RAL6002 Leaf Green
RAL5017 Traffic Blue	RAL5014 Pigeon Blue	RAL5002 Ultramarine Blue	RAL5011 Steele Blue	RAL5020 Ocean Blue	RAL6003 Olive Green
RAL5005 Signal Blue	RAL5012 Light Blue	RAL5003 Sapphire Blue	RAL5008 Grey Blue	RAL5021 Water Blue	RAL6004 Blue Green
RAL5013 Cobalt	RAL5022 Night Blue	RAL5004 Black Blue	RAL6000 Patina Green	RAL6034 Pastel Turquoise	RAL6005 Moss Green
RAL6007 Bottle Green	RAL6015 Black Olive	RAL6024 Traffic Green	RAL6027 Light Green	RAL6019 Pastel Green	RAL6028 Pine Green
RAL6008 Brown Green	RAL6016 Turquoise Green	RAL6025 Fern Green	RAL6026 Opal Green	RAL6021 Pale Green	RAL6029 Mint Green
RAL6009 Fir Green	RAL6017 May Green	RAL6011 Reseda Green	RAL6013 Reed Green	RAL6020 Chrome Green	RAL6032 Signal Green
RAL6010 Grass Green	RAL6018 Yellow Green	RAL6012 Black Green	RAL6014 Yellow Olive	RAL6022 Olive Drab	RAL6033 Mint Turquoise

RAL8015 Chestnut Brown	RAL8012 Red Brown	RAL8024 Beige Brown	RAL8023 Orange Brown	RAL8002 Signal Brown
RAL8017 Chocolate Brown	RAL8019 Grey Brown	RAL9004 Signal Black	RAL8008 Olive Brown	RAL8003 Clay Brown
RAL8000 Green Brown	RAL8004 Copper Brown	RAL8016 Mahogany Brown	RAL8014 Sepia Brown	RAL8025 Pale Brown
RAL8001 Ocher Brown	RAL8007 Fawn Brown	RAL8022 Black Brown	RAL9005 Jet Black	RAL9011 Graphite Black
RAL8011 Nut Brown	RAL8028 Terra Brown	RAL9017 Traffic Black		

Colors are reproduced with reasonable accuracy in standard Gloss finish unless noted Matte. If match is critical, contact us at 800-434-4610 for actual samples.

Standard Color Selections for Aluminum

Claridge offers the durability and brilliance of powder coat finishes for aluminum framed boards, mobile marker-boards cases, display cabinets and virtually any product offered with a metal or extruded aluminum component. Choose from any of the 24 standard colors shown below, or select from more than a 180 optional powder coat color examples inside – including textured and transparent finish choices.

RAL1013 Oyster White	RAL2009 Traffic Orange	RAL4001 Red Lilac	RAL5005 Signal Blue	RAL6005 Moss Green	RAL8017 Chocolate Brown
RAL1015 Light Ivory	RAL3003 Ruby Red	RAL4004 Claret Violet	RAL5013 Cobalt Blue	RAL6024 Traffic Green	RAL8025 Pale Brown
RAL1003 Signal Yellow	RAL3018 Strawberry Red	RAL5000 Violet Blue	RAL5015 Sky Blue	RAL7001 Silver Grey	RAL9003 Signal White
RAL1018 Zinc Yellow	RAL3020 Traffic Red	RAL5002 Ultramarine Blue	RAL6002 Leaf Green	RAL7015 Slate Grey	RAL9005 Jet Black

Optional Transparent Finishes

Aluminum Only

| Transparent Green	Copper	Candy Red	Candy Teal	Candy Purple

Optional Textured Finishes

Aluminum Only

PPLS98550 Antique Copper Vein	PES98116 Goldtone Vein	PEBS98802 Bonded Silver Vein

Claridge

800.434.4610
claridgeproducts.com

GLASS WRITING SURFACE
• LIFETIME •
GUARANTEE

Claridge ®

When properly installed in a suitable environment and under normal intended usage, care and maintenance, including the use of proper markers, erasers and cleaners; Claridge Glass markerboard writing surfaces are guaranteed for the Life of the Building.

This warranty excludes, among other things, any and all damages resulting from earth movements or any other natural and/or man-made disasters. We do not recommend the use of abrasive cleaners on the glass surface as they may dull or "pit" the surface of the glass. Guarantee covers replacement of defective surfaces but does not include damage to the edge of the glass board, cost of removal or re-installation.

SCS Global Services *does hereby certify that an independent assessment has been conducted on behalf of:*

Claridge Products & Equipment

480 Wrangler Drive
Suite 200, Coppell, 75019, United States

For the following product(s):

See Addendum

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

Indoor Advantage™ Gold

Indoor Air Quality Certified to SCS-105 v4.2

Conforms to the ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2021) and ANSI/BIFMA e.3-2024 (Credits 7.6.2, 7.6.3) for the open plan and (Credits 7.6.1, 7.6.2, 7.6.3) private office workstation parameters.[1] Also, conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for the open plan and school classroom parameters.[1]

[1]Modeled as Individual Furniture Components

Registration # SCS-IAQ-09072
Valid from: June 09, 2025 to June 08, 2026

Diana Kirsanova Phillips, Chief Assurance
Officer,
SCS Global Services

Claridge Products & Equipment

Certification: Registration # SCS-IAQ-09072 | Valid from: June 09, 2025 to June 08, 2026

Addendum **Indoor Advantage™ Gold**
Conformance: Indoor Air Quality Certified to SCS-105 v4.2
Conforms to the ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2021) and
ANSI/BIFMA e.3-2024 (Credits 7.6.2, 7.6.3) for the open plan and (Credits 7.6.1, 7.6.2, 7.6.3) private
office workstation parameters.[1] Also, conforms to the CDPH/EHLB Standard Method (CA 01350)
v1.2-2017 for the open plan and school classroom parameters.[1]
[1]Modeled as Individual Furniture Components

Products:

Visual Display Boards:
3300 Series Tackboard, 3400 Series Tackboard, 344 Wave Lectern, 370 Series Recessed Display Case,
390 Large Door Recessed Display Case, 725 Folding Screen, 748 Universal Display Case, 79 Hang-Tight
Rail System, 800 Series Markerboard, 800 Series Tackboard, 800 Series Type BR/BL Combo Markerboard
Tackboard, 900A Tackboard, 94 Combination Map Rail & Clip Strip, Aceno Room Divider Panels-Base,
Aceno Track System, Arise Marker Walls, Arise Markerboard, Aspire Markerboards, Claridge LCS
Porcelain, Classic Series Bulletin Board Cabinet, Classic Series Display Case, Concept Markerboard,
Concept Tackboard, Connect X2 3 Caster Mobile Markerboard, Connect X2 Combination
Markerboard/Tackboard, Connect X2 Full Height Mobile Markerboard Procelain-Glass, Connect X2
Markerboard Porcelain-Glass, Connect X2 Partial Height Markerboard, Connect X2 Space Creator
Porcelain-Cork-Fabric, Connect X2 Tackboard, Contemporary Series Bulletin Board Cabinet, Contemporary
Series Bulletin Board Cabinet, Contemporary Style Laminate Lecture Unit, Contio Mobile Markerboard, CS
Clip Strips, Cursive Board, Cursive One Markerboard-Tackboard, Custom Printed Glass Boards, Deluxe
Series Bulletin Board Cabinet, Deluxe Series Revolving Two-sided Mobile Markerboard, Deluxe Two-sided
Mobile Markerboard, Display Case-Cabinet, Economy and Deluxe Map & Display Rail, Edify Mobile
Markerboard, EDR Exhibit Rail, Envision Graphics Markerboard, Economy and Deluxe Map & Display Rail,
Evolve Markerboard, Evolve Sliding System, Evolve Tackboard, EZ Fit Markerboard Panel, Framed
Tackboard, Glass Marker Walls, Glass Markerboards, Horizontal Sliding Markerboards, Imperial Series
Bulletin Board Cabinet, Large Contemporary Series Bulletin Board Cabinet, Large Format Glass Marker
System, Large Format Porcelain Marker System, LCS Deluxe Markerboard-Aluminum Frame,

Claridge Products & Equipment

Certification: Registration # SCS-IAQ-09072 | Valid from: June 09, 2025 to June 08, 2026

Addendum **Indoor Advantage™ Gold**
Conformance: Indoor Air Quality Certified to SCS-105 v4.2
Conforms to the ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2021) and
ANSI/BIFMA e.3-2024 (Credits 7.6.2, 7.6.3) for the open plan and (Credits 7.6.1, 7.6.2, 7.6.3) private
office workstation parameters.[1] Also, conforms to the CDPH/EHLB Standard Method (CA 01350)
v1.2-2017 for the open plan and school classroom parameters.[1]
[1]Modeled as Individual Furniture Components

Products:

Visual Display Boards Continued:
LCS Deluxe Markerboard-Aluminum Frame No Map Rail, LCS Deluxe Markerboard-Wood Frame, LCS Elite
Markerboard, LCS Select Markerboard, LCS Wall-Write Marker Wall, LCS-Glass Combo Boards, Magnetic
Glass Markerboard, Magnetic Non-Glare Glass Markerboard, Marker Walls, Merit Series Markerboard,
Mina Mobile, Mina Space Creator, Non-Magnetic Non-Glare Glass Markerboard, Premier Wall Mounted
Display Case, Premiere Freestanding Display Case, Premiere Series Reversible Mobile Markerboard w/
aluminum trim, Profile Frameless LCS Porcelain Markerboard, Revere Series Bulletin Board, Revere Series
Bulletin Board Cabinet, Ripple Space Divider Acoustic-Acrylic, Series 1 Markerboard, Series 1 Tackboard,
Series 5 Markerboard, Series 5 Tackboard, Series 2 Markerboard, Series 2 Tackboard, Series 2500
Markerboard, Series 3 Markerboard, Series 3 Tackboard, Series 4 Markerboard, Series 4 Tackboard,
Series 8 Markerboard, Series 8 Tackboard, Sliding Marker Wall Systems Porcelain-Glass, Switch
Markerboard Porcelain-Glass, Switch Mobile Markerboard Porcelain-Glass, Tableau Markerboard
Porcelain-Glass, Tableau Tackboard, Tack Wall, TacPads Acoustic Fabric-Wrapped, Trak-it-system,
TrimLine Markerboard, Universal Series Bulletin Board Cabinet, Utility A-Frame Mobile Markerboard, Venue
Markerboard Porcelain-Glass, Venue Space Divider Porcelain-Glass Acoustic, Venue T-Leg Mobile
Markerboard porcelain-Glass, Venue V-Leg Mobile Markerboard Porcelain-Glass, Vertical Sliding
Markerboards, Xchange Graphic Board
*Excludes products with wood trim. Excludes products manufactured with a cork substrate. Tackboard
included are constructed with a fabricork or designer fabric over Duracore or Micore.*