

Custom Print

Claridge Glass Markerboard



Create a custom printed glassboard by uploading your own artwork. Print anything from logos, to photos, to art, to anything you can think of! Simply upload your file you want printed using our custom portal **HERE**.

- Standard glass colors available
- Custom glass colors available
- Choose from a variety of print locations for your graphic or choose “full board” to create a print that covers the entire surface. Perfect for art or photos.
- Landscape and portrait orientations available
- Writing surface accepts magnetic accessories
- Custom glass board prints can be applied to any glass panel

Custom Print

Claridge Glass Markerboard



SPECIFICATIONS

- 1/4" low iron ultra clear glass
- Available in magnetic and non-magnetic glass
- Scratch and stain resistant
- 4 rare earth magnets included with each markerboard
- All mounting hardware included

GLASS HIGHLIGHTS

- Bacteria resistant
- Premium writing surface
- Heavy material
- Reflective surface
- Magnetic option
- Lower contrast

COLORS


- 10 standard glass colors
- 180 optional glass colors
- Custom color matching available

View Claridge Glass Colors [HERE](#)


CUSTOMIZE

- Custom shape and size available
- Custom logo and artwork print direct to glass

MOUNTING STYLE OPTIONS



Invisi-mount



Standoff Edge Mount



Standoff Through Mount

STANDARD MARKERBOARD SIZES (HxW)

5' x 4'	5' x 6'	5' x 8'	5' x 10'	
4' x 4'	4' x 6'	4' x 8'	4' x 10'	4' x 12'
3' x 4'				
2' x 3'				

STANDARD MARKER WALL SIZE

Cover an entire wall, floor-to-ceiling individual panels available in heights up to 10' and lengths up to 3' 11-1/2"

LEARN MORE



800-434-4610
claridgeproducts.com



Glass Markerboard

Magnetic with
Invisi-mount



INSTALLATION INSTRUCTIONS

Note:

Number of dual-lock assemblies furnished varies with markerboard size.

4' markerboards get 3 dual-lock sets; 6' size gets 4; 8' size gets 5.

Use caution when positioning glass markerboard panels next to each other. Because the weakest point of tempered glass is along the edges, edges should be protected as much as possible. Take care not to bump, rub, or grind edges together as fracturing may occur. Calyx will not be held responsible for damage caused by improper handling during installation.


**Dual lock is a registered trademark of 3M Corporation.*

WARNING

Risk of injury to installers and users

Read the entire assembly directions before
beginning assembly.

Glass Markerboard with Invisi-mount



INSTALLATION INSTRUCTIONS

1. Determine and mark desired height for mounting the magnetic glass markerboard
2. Measure down 1 ⁹/₁₆" from designated height and strike a horizontal line for the bottom of the Z-bar.
3. Attach Z-bar hanger to wall using appropriate screws. Note: Slotted holes in hanger bar ensure easy alignment.
4. Position board on top of hanger and engage with hanger on back of glass markerboard.
5. Make a mark at bottom corners of glass markerboard and carefully remove board from wall.
6. Measure in and up approximately 2-to-3" from marked corners and install dual-lock 'disk' (washer) on wall using appropriate fastener. Press dual-lock strip (tab) firmly into disk on wall making sure mating is secure. (Dual-locks should be evenly spaced along the bottom of board).
7. Remove tape from assembly.
8. Reinstall markerboard, engaging hanger on back of markerboard with hanger on wall.
9. Press in at the bottom allowing the back of the glass markerboard to stick to the exposed adhesive on the hook and loop assembly.



800-434-4610
claridgeproducts.com



Glass Markerboard

Magnetic with
Edge-mounts



INSTALLATION INSTRUCTIONS



Parts List:

- Glass Markerboard
- Adjustable Edge Grip Stand-offs (number varies with board size)


Tools needed:

- Drill and Drill Bit
- Screwdriver
- Tape Measure and Level
- Hardware appropriate for wall installation

WARNING

Risk of injury to installers and users
Read the entire assembly directions before
beginning assembly.


Glass Markerboard with Edge-mounts



INSTALLATION INSTRUCTIONS

1. Determine the desired height for the bottom of your glass markerboard.
2. Measure up 1-1/4" from desired height and strike a horizontal line.
3. Determine the length of your board and measure in 3" from both ends of the board and drill a hole for the edge grips.
NOTE: Space evenly if more than four edge grips are furnished. (4' lengths and smaller are furnished with four edge grip stand-offs; 6' and 8' lengths are furnished with six: three for the top and three for the bottom.)
4. Fasten the edge grips to wall using fasteners appropriate for wall.
5. Determine top height of board, measure down 13/16" and strike a line, making sure line is level.
6. Install top edge grips following instructions in Step 3.
7. Raise adjustable edge grips at top up as high as possible.
8. Position glass board in groove of bottom edge grips and set in place.
9. Very gently tap top edge grips down until they are snug against the top of the board.
10. Make sure all edge grip stand-off caps are screwed on securely.

Note: MGM magnetic glass boards are furnished with rare earth magnets. Additional Magnetic Markerboard Accessories are optional.




800-434-4610
claridgeproducts.com



Glass Markerboard

Magnetic with
Through-mounts



INSTALLATION INSTRUCTIONS

Parts List:

- Glass Markerboard
- Stand-offs (number varies with board size)

Tools Needed

- Pencil
- Level
- Drill
- 2mm allen wrench

WARNING

Risk of injury to installers and users
Read the entire assembly directions before
beginning assembly.

Glass Markerboard with Through-mounts





Figure 1

INSTALLATION INSTRUCTIONS

1. Using a level, position the glass board on the wall, use the holes in the glass and mark their location on the wall.
2. Remove board from wall and pre-drill holes in center of circle.
3. Using appropriate screw, install the barrel of the standoffs, repeat for remaining standoffs. (We suggest you anchor into studs, if that is not an option, use fasteners appropriate for your wall type)
4. Make sure to position the barrel where the allen bolt is accessible after glass is installed. (see Figure 1)
5. Position glass centering holes on standoff barrel, making sure to add nylon washer to each side of glass.
6. Screw in cap. Once cap is tight, tighten allen bolts with 2 mm allen wrench.



Always check the installation surface to ensure that the substrate will be strong enough to hold the weight of the panel. All installation must be done so with proper hardware and protective gears to ensure safety. It is important to check that parts are properly tightened at the end of each installation.




800-434-4610
claridgeproducts.com





Claridge Glass Marker Wall

INSTALLATION INSTRUCTIONS



GLASS MARKER WALL



WARNING
Risk of injury to installers and users
Read the entire assembly directions before
beginning assembly.

Claridge Glass Marker Wall

INSTALLATION

1. Inspect product.
2. Cut trim to desired length based on number of panels to be installed.
3. Strike a level line marking position of bottom of glass panels.
4. Secure bottom trim to wall with appropriate screws and anchors making sure trim is level.
5. When installing the top trim, measure up from the bottom of the bottom trim the full height of the glass plus 1/8" and make it a level line. With the top edge of the trim on the line, drill in the center of each slot.
6. Fasten top trim to wall (push trim all the way up and snug securely). Do not over tighten because trim will be tapped down when glass is installed. Use a straight edge to check for flatness.
7. Apply adhesive to back of glass in globs about the size of a golf ball in a 12" grid pattern.
8. Place glass in bottom track then tap down the top trim to hold the glass. (If installing multiple panels, make sure the top trim isn't so low it prevents the next panel from sliding into place.)
9. If using the plastic t-mold between the glass panels cut it to desired length and apply adhesive on the backside of the strip. Repeat steps 7 and 8.

Note: If plastic t-mold is not used in the installation, we recommend using it to protect the edge of the glass while it is being moved into position. Place the t-mold in backwards between the glass panels, slide the panels together, pull the t-mold out and gently move the glass into its final position.


10. To insure a flush joint panels should be braced while adhesive is drying.

NOTE: Glass boards installed horizontally can be installed using 1191 clips in lieu of full length 1191 trim. Clips are pre-punched and installation steps would be the same as above. Clips should be evenly placed approx. 12 to 16" apart – top and bottom, starting 3 to 4" in from each end on individual glass panels. Clips are not recommended for glass panels mounted vertically.







Standard Color Selections




Brilliant White




Calm White




Signal White



Telegrey



Signal Grey




Pure White



Oyster White



Beige



Squirrel Grey



Yellow Grey

Claridge Glass features an ultra clear writing surface that won't ghost or stain.
An environmentally friendly process that offers 10 standard colors, 180 optional and unlimited custom colors for use on markerboards and walls.

- Works with standard dry-erase markers
- Doubles as a "tack" surface for use with magnetic accessories
- Resists humidity and fading
- SCS Indoor Advantage certified
- Eco-friendly, emits no VOCs





- Dry Erase markers can be wiped off using a standard eraser, microfiber eraser cloth or any dry cloth. Permanent markers may be removed using a standard glass cleaner.
- Periodic cleaning may be performed using glass cleaner. Avoid using abrasive type cleaners as they may dull or “pit” the surface of the glass.
- Always use a soft cloth, towel or microfiber cloth from Claridge to clean your Claridge Glass writing surface.
- Avoid cleaning glass if the surface is hot or in direct sunlight.
- Avoid leaving tape or other adhesives on your glass writing surface for long periods of time.

Recommended Accessories:



Dry Erase Cloth

Product Code ECM227E - each
ECM227D - 1 dozen

- 12"x12" Microfiber eraser cloth with a small magnet
- Erases cleanly with no smearing
- Reduces marker residue build-up



Magnetic Eraser

Product Code MGM-ME1

- Black felt eraser with strong rare earth magnets
- Measures 4-1/2" long, 2-1/8" wide and 7/8" thick





POWDER COATINGS

Color Guide



An environmentally friendly process that offers a wide range of decorative, functional colors for use on glass markerboards, walls, and metal frames.


BENEFITS OF POWDER COATING

- More durable than baked enamels
- Delivers a brighter, smoother and cleaner finish
- Environmentally friendly, produces less hazardous waste than conventional liquid coatings
- Color choices are virtually unlimited with custom color matching


*Colors are reproduced with reasonable accuracy in standard Gloss finish unless noted Matte.
If match is critical, contact us at 800-434-4610 for actual samples*



Powder Coat Colors



RAL9016
Traffic White



RAL9002
Grey White



RAL9018
Papyrus White




RAL7038
Agate Grey




RAL7035
Light Grey




RAL7044
Silk Grey



RAL9010
Pure White



RAL9003
Signal White



RAL9001
Cream



RAL7047
Telegrey 4



RAL7036
Platinum Grey



RAL7045
Telegrey 1



RAL7032
Pebble Grey



RAL7033
Cement Grey



RAL7042
Traffic Grey A



RAL7004
Signal Grey



RAL7046
Telegrey 2



RAL7037
Dusty Grey



RAL7030
Stone Grey



RAL7034
Yellow Grey



RAL7005
Mouse Grey



RAL7040
Window Grey



RAL7012
Basalt Grey



RAL7043
Traffic Grey B



RAL7003
Moss Grey



RAL7013
Brown Grey



RAL7039
Quartz Grey



RAL7006
Beige Grey



RAL7000
Squirrel Grey



RAL7009
Green Grey



RAL7001
Silver Grey



RAL7010
Tarpaulin Grey



RAL7023
Concrete Grey



RAL7002
Olive Grey



RAL7022
Umbra Grey



RAL7011
Iron Grey



RAL6006
Grey Olive



RAL7008
Khaki Grey



RAL7016
Anthracite Grey



RAL7026
Granite Grey



RAL7024
Graphite Grey



RAL7021
Black Grey



RAL1013
Oyster White



RAL1015
Light Ivory



RAL1014
Ivory



RAL1000
Green Beige



RAL1001
Beige



RAL1011
Brown Beige



RAL1002
Sand Yellow



RAL1019
Grey Yellow



RAL1020
Olive Yellow



RAL1024
Ochre Yellow



RAL1027
Curry



RAL1032
Broom Yellow

					
RAL1021 Yellow	RAL1018 Zinc Yellow	RAL1033 Dahlia Yellow	RAL2009 Traffic Orange	RAL2004 Pure Orange	RAL3004 Purple Red
					
RAL1016 Sulfur Yellow	RAL1012 Lemon Yellow	RAL1034 Pastel Yellow	RAL2010 Signal Orange	RAL2008 Bright Red Orange	RAL3005 Wine Red
					
RAL1028 Melon Yellow	RAL1023 Traffic Yellow	RAL2000 Yellow Orange	RAL2011 Deep Orange	RAL3002 Carmine Red	RAL3007 Black Red
					
RAL1003 Signal Yellow	RAL1017 Saffron Yellow	RAL2001 Red Orange	RAL2012 Salmon Orange	RAL3003 Ruby Red	RAL3009 Oxide Red
					
RAL1004 Golden Yellow	RAL1006 Maize Yellow	RAL2002 Vermilion	RAL3000 Flame Red	RAL3013 Tomato Red	RAL3011 Brown Red
					
RAL1005 Honey Yellow	RAL1007 Daffodil Yellow	RAL2003 Pastel Orange	RAL3001 Signal Red	RAL3014 Antique Pink	RAL3012 Beige Red
					
RAL3015 Light Pink	RAL4001 Red Lilac	RAL4009 Pastel Violet	RAL3016 Coral Red	RAL4002 Red Violet	RAL4010 Telemagenta
					
RAL4003 Heather Violet	RAL4005 Blue Lilac	RAL3017 Rose	RAL3018 Strawberry Red	RAL3020 Traffic Red	RAL4004 Claret Violet
					
RAL4006 Traffic Purple	RAL4008 Signal Violet	RAL3022 Salmon Pink	RAL3027 Raspberry Red	RAL3031 Orient Red	RAL4007 Purple Violet



RAL5024
Pastel Blue



RAL5007
Brilliant Blue



RAL5000
Violet Blue



RAL5009
Azure Blue



RAL5018
Turquoise Blue



RAL6001
Emerald Green



RAL5015
Sky Blue



RAL5023
Distant Blue



RAL5001
Green Blue



RAL5010
Gentian Blue



RAL5019
Capri Blue



RAL6002
Leaf Green



RAL5017
Traffic Blue



RAL5014
Pigeon Blue



RAL5002
Ultramarine Blue



RAL5011
Steele Blue



RAL5020
Ocean Blue



RAL6003
Olive Green



RAL5005
Signal Blue



RAL5012
Light Blue



RAL5003
Sapphire Blue



RAL5008
Grey Blue



RAL5021
Water Blue



RAL6004
Blue Green



RAL5013
Cobalt



RAL5022
Night Blue



RAL5004
Black Blue




RAL6000
Patina Green




RAL6034
Pastel Turquoise



RAL6005
Moss Green




RAL6007
Bottle Green




RAL6015
Black Olive



RAL6024
Traffic Green




RAL6027
Light Green



RAL6019
Pastel Green




RAL6028
Pine Green




RAL6008
Brown Green




RAL6016
Turquoise Green



RAL6025
Fern Green



RAL6026
Opal Green




RAL6021
Pale Green




RAL6029
Mint Green




RAL6009
Fir Green




RAL6017
May Green



RAL6011
Reseda Green



RAL6013
Reed Green



RAL6020
Chrome Green




RAL6032
Signal Green




RAL6010
Grass Green




RAL6018
Yellow Green




RAL6012
Black Green







RAL6014
Yellow Olive



RAL6022
Olive Drab






RAL6033
Mint Turquoise

				
RAL8015 Chestnut Brown	RAL8012 Red Brown	RAL8024 Beige Brown	RAL8023 Orange Brown	RAL8002 Signal Brown
				
RAL8017 Chocolate Brown	RAL8019 Grey Brown	RAL9004 Signal Black	RAL8008 Olive Brown	RAL8003 Clay Brown
				
RAL8000 Green Brown	RAL8004 Copper Brown	RAL8016 Mahogany Brown	RAL8014 Sepia Brown	RAL8025 Pale Brown
				
RAL8001 Ocher Brown	RAL8007 Fawn Brown	RAL8022 Black Brown	RAL9005 Jet Black	RAL9011 Graphite Black
				
RAL8011 Nut Brown	RAL8028 Terra Brown	RAL9017 Traffic Black		

Colors are reproduced with reasonable accuracy in standard Gloss finish unless noted Matte. If match is critical, contact us at 800-434-4610 for actual samples.

Standard Color Selections for Aluminum

Claridge offers the durability and brilliance of powder coat finishes for aluminum framed boards, mobile marker-boards cases, display cabinets and virtually any product offered with a metal or extruded aluminum component. Choose from any of the 24 standard colors shown below, or select from more than a 180 optional powder coat color examples inside – including textured and transparent finish choices.

					
RAL1013 Oyster White	RAL2009 Traffic Orange	RAL4001 Red Lilac	RAL5005 Signal Blue	RAL6005 Moss Green	RAL8017 Chocolate Brown
					
RAL1015 Light Ivory	RAL3003 Ruby Red	RAL4004 Claret Violet	RAL5013 Cobalt Blue	RAL6024 Traffic Green	RAL8025 Pale Brown
					
RAL1003 Signal Yellow	RAL3018 Strawberry Red	RAL5000 Violet Blue	RAL5015 Sky Blue	RAL7001 Silver Grey	RAL9003 Signal White
					
RAL1018 Zinc Yellow	RAL3020 Traffic Red	RAL5002 Ultramarine Blue	RAL6002 Leaf Green	RAL7015 Slate Grey	RAL9005 Jet Black

Optional Transparent Finishes

Aluminum Only



Transparent Green



Copper



Candy Red




Candy Teal




Candy Purple

Optional Textured Finishes


Aluminum Only



PPLS98550
Antique Copper Vein




PES98116
Goldtone Vein



PEBS98802
Bonded Silver Vein



800.434.4610
claridgeproducts.com



Claridge®

When properly installed in a suitable environment and under normal intended usage, care and maintenance, including the use of proper markers, erasers and cleaners; Claridge Glass markerboard writing surfaces are guaranteed for the Life of the Building.

This warranty excludes, among other things, any and all damages resulting from earth movements or any other natural and/or man-made disasters. We do not recommend the use of abrasive cleaners on the glass surface as they may dull or “pit” the surface of the glass. Guarantee covers replacement of defective surfaces but does not include damage to the edge of the glass board, cost of removal or re-installation.

SCS Global Services does hereby certify that an independent assessment has been conducted on behalf of:

Claridge Products & Equipment

480 Wrangler Drive
Suite 200, Coppell, 75019, United States

For the following product(s):

See Addendum

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

Indoor Advantage™ Gold

Indoor Air Quality Certified to SCS-105 v4.2

Conforms to the ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2021) and ANSI/BIFMA e.3-2024 (Credits 7.6.2, 7.6.3) for the open plan and (Credits 7.6.1, 7.6.2, 7.6.3) private office workstation parameters.¹ Also, conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for the open plan and school classroom parameters.¹

¹Modeled as Individual Furniture Components

Registration # SCS-IAQ-09072

Valid from: June 09, 2025 to June 08, 2026



INDOOR ADVANTAGE GOLD
FURNITURE



Diana Kirsanova Phillips, Chief Assurance
Officer,
SCS Global Services

Certification Addendum

Claridge Products & Equipment

Certification: Registration # SCS-IAQ-09072 | Valid from: June 09, 2025 to June 08, 2026

Addendum Indoor Advantage™ Gold

Conformance: Indoor Air Quality Certified to SCS-105 v4.2

Conforms to the ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2021) and ANSI/BIFMA e.3-2024 (Credits 7.6.2, 7.6.3) for the open plan and (Credits 7.6.1, 7.6.2, 7.6.3) private office workstation parameters.¹ Also, conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for the open plan and school classroom parameters.¹

¹Modeled as Individual Furniture Components

Products:

Visual Display Boards:

3300 Series Tackboard, 3400 Series Tackboard, 344 Wave Lectern, 370 Series Recessed Display Case, 390 Large Door Recessed Display Case, 725 Folding Screen, 748 Universal Display Case, 79 Hang-Tight Rail System, 800 Series Markerboard, 800 Series Tackboard, 800 Series Type BR/BL Combo Markerboard Tackboard, 900A Tackboard, 94 Combination Map Rail & Clip Strip, Aceno Room Divider Panels-Base, Aceno Track System, Arise Marker Walls, Arise Markerboard, Aspire Markerboards, Claridge LCS Porcelain, Classic Series Bulletin Board Cabinet, Classic Series Display Case, Concept Markerboard, Concept Tackboard, Connect X2 3 Caster Mobile Markerboard, Connect X2 Combination Markerboard/Tackboard, Connect X2 Full Height Mobile Markerboard Porcelain-Glass, Connect X2 Markerboard Porcelain-Glass, Connect X2 Partial Height Markerboard, Connect X2 Space Creator Porcelain-Cork-Fabric, Connect X2 Tackboard, Contemporary Series Bulletin Board Cabinet, Contemporary Series Bulletin Board Cabinet, Contemporary Style Laminate Lecture Unit, Contio Mobile Markerboard, CS Clip Strips, Cursive Board, Cursive One Markerboard-Tackboard, Custom Printed Glass Boards, Deluxe Series Bulletin Board Cabinet, Deluxe Series Revolving Two-sided Mobile Markerboard, Deluxe Two-sided Mobile Markerboard, Display Case-Cabinet, Economy and Deluxe Map & Display Rail, Edify Mobile Markerboard, EDR Exhibit Rail, Envision Graphics Markerboard, Economy and Deluxe Map & Display Rail, Evolve Markerboard, Evolve Sliding System, Evolve Tackboard, EZ Fit Markerboard Panel, Framed Tackboard, Glass Marker Walls, Glass Markerboards, Horizontal Sliding Markerboards, Imperial Series Bulletin Board Cabinet, Large Contemporary Series Bulletin Board Cabinet, Large Format Glass Marker System, Large Format Porcelain Marker System, LCS Deluxe Markerboard-Aluminum Frame,

Certification Addendum

Claridge Products & Equipment

Certification: Registration # SCS-IAQ-09072 | Valid from: June 09, 2025 to June 08, 2026

Addendum Indoor Advantage™ Gold

Conformance: Indoor Air Quality Certified to SCS-105 v4.2

Conforms to the ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2021) and ANSI/BIFMA e.3-2024 (Credits 7.6.2, 7.6.3) for the open plan and (Credits 7.6.1, 7.6.2, 7.6.3) private office workstation parameters.¹ Also, conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for the open plan and school classroom parameters.¹

¹Modeled as Individual Furniture Components

Products:

Visual Display Boards Continued:

LCS Deluxe Markerboard-Aluminum Frame No Map Rail, LCS Deluxe Markerboard-Wood Frame, LCS Elite Markerboard, LCS Select Markerboard, LCS Wall-Write Marker Wall, LCS-Glass Combo Boards, Magnetic Glass Markerboard, Magnetic Non-Glare Glass Markerboard, Marker Walls, Merit Series Markerboard, Mina Mobile, Mina Space Creator, Non-Magnetic Non-Glare Glass Markerboard, Premier Wall Mounted Display Case, Premiere Freestanding Display Case, Premiere Series Reversible Mobile Markerboard w/ aluminum trim, Profile Frameless LCS Porcelain Markerboard, Revere Series Bulletin Board, Revere Series Bulletin Board Cabinet, Ripple Space Divider Acoustic-Acrylic, Series 1 Markerboard, Series 1 Tackboard, Series 5 Markerboard, Series 5 Tackboard, Series 2 Markerboard, Series 2 Tackboard, Series 2500 Markerboard, Series 3 Markerboard, Series 3 Tackboard, Series 4 Markerboard, Series 4 Tackboard, Series 8 Markerboard, Series 8 Tackboard, Sliding Marker Wall Systems Porcelain-Glass, Switch Markerboard Porcelain-Glass, Switch Mobile Markerboard Porcelain-Glass, Tableau Markerboard Porcelain-Glass, Tableau Tackboard, Tack Wall, TacPads Acoustic Fabric-Wrapped, Trak-it-system, TrimLine Markerboard, Universal Series Bulletin Board Cabinet, Utility A-Frame Mobile Markerboard, Venue Markerboard Porcelain-Glass, Venue Space Divider Porcelain-Glass Acoustic, Venue T-Leg Mobile Markerboard porcelain-Glass, Venue V-Leg Mobile Markerboard Porcelain-Glass, Vertical Sliding Markerboards, Xchange Graphic Board

Excludes products with wood trim. Excludes products manufactured with a cork substrate. Tackboard included are constructed with a fabricork or designer fabric over Duracore or Micore.