

GRAIN

Wood Trim Whiteboard & Tackboard



Grain whiteboard or tackboard accents any space with a contemporary wood trim in natural or medium oak finish. LCS Porcelain whiteboard comes with a permanent full length marker tray, four assorted markers, and an eraser cloth.

- Best in Class Writing Surface LCS Porcelain
- 1-3/4" face trim
- Natural finish oak frame, medium oak finish available
- Writing surfaces accept magnetic accessories
- Tack surfaces available in Guilford of Maine FR701, Claridge Cork, Fabricork, and Tan Nucork

GRAIN

Wood Trim Whiteboard & Tackboard



Trim Detail



Tray Detail

SPECIFICATIONS

- 1-3/4" face trim
- Natural Oak finish trim, medium oak available
- Z-bar hangers clips at top

WRITING SURFACES

LCS Porcelain

- Projection friendly surface that won't ghost or stain
- Accepts magnetic accessories
- Surface is SCS Indoor Advantage Gold certified, eco-friendly, and emits no VOC's
- 3 markerboard colors
- 3 chalkboard colors
- Lifetime warranty

[View LCS Porcelain Colors HERE](#)

Tackable Surfaces

Tackboard surface in Guilford of Maine FR701 fabric, Claridge Cork, Fabricork, and Tan Nucork

[View Tackable Surface Options HERE](#)

WHITEBOARD SIZES (HxW):

- 4' x 4'
- 4' x 6'
- 4' x 8'
- 4' x 10'

TACKBOARD SIZES (HxW):

- 2' x 3'
- 3' x 4'
- 4' x 4'
- 4' x 6'
- 4' x 8'

[LEARN MORE](#)



Grain Wood Trim Markerboards



INSTALLATION INSTRUCTIONS

WARNING

Risk of injury to installers and users

Read the entire assembly directions before beginning assembly.

Tools Needed:

Laser/Level
Drill and drill bit
Screwdriver
Tape measure
Rubber mallet
Safety glasses
Straight edge

Instructions:

1. Determined desired height of the top of the board and mark a line.
2. Lay the board face down and engage the Z bar hangers into the hangers mounted on the back of the board.
3. Measure from the top of the board to the bottom of the engaged z bar hanger. Transfer that measurement to the wall down from the desired height mark and strike a level line.
4. Place the bottom of the hanger on the level line and secure with proper wall fasteners.
Note: Make sure the wall hangers will align with the hangers on the back of the board.
5. Use a straight edge to check for flatness. Hangers may need to be shimmed accordingly.
6. From the desired height mark measure down the height of the board minus 1/2 "and mark a level line. Drill on the line to secure the angle clips. Clips should be plumb with the hangers. Use appropriate fasteners to mount the angle at its lowest point. Do not overtighten the clip to the wall. This will allow for the clip to be adjusted.
7. Install the board by raising the boards slightly higher than the Z bar hangers on the wall. Lower the board allowing the hangers to engage. Next with the board resting on the hangers tap the bottom angle clips up and fasten with the provided screws.



800-434-4610
claridgeproducts.com

Standard Color Selections

Select from the 3 standard porcelain or 3 chalkboard colors

LCS Porcelain Colors - use with markers



No. 100 White

No. 101 Light Gray

No. 102 Beige

Chalkboard Colors - use with chalk



No. 500 Green

No. 501 Black

No. 502 Gray

Claridge LCS Porcelain enamel steel markerboard and chalkboard writing surfaces offer unsurpassed durability and performance – a lifetime of performance.

An environmentally friendly process that offers a wide range of decorative and functional colors for use on porcelain markerboards and walls.

- Smooth writing and clean erasing
- Unmatched scratch and stain resistance
- 100% non-combustible surface
- Magnetic surface
- Projection-friendly low gloss LCS surface
- Life of the Building Guarantee
- LCS Porcelain surface is SCS Indoor Advantage Certified

Colors are reproduced with reasonable accuracy, and are for color identification purposes only. If color is critical, contact us at 800-434-4610 to request an actual color sample.



LCS PORCELAIN Markerboard and Chalkboard Features

ENVIRONMENTAL FEATURES

- **SCS Indoor Advantage Certified**

SCS Indoor Advantage certifications are product certification programs for low emitting interior building materials, furnishings and finish systems. SCS Indoor Advantage certified products undergo rigorous testing and must meet stringent standards for low chemical emissions based on established health standards for use in environments such as schools and healthcare facilities.

- **Cradle-to-Cradle™ Bronze Certification**

Cradle-to-Cradle Certification focuses on the characteristics of sustainable materials, products, and systems. The process places emphasis on the human and ecological health impacts of a product's ingredients, and on the ability of that product to be recycled or composted.

Third-party environmental certification assures customers and end users that products selected support healthy indoor air quality and do not emit harmful chemicals. LCS is non-combustible, gives off no toxic gases and is 99.9% recyclable.

CLEANING INSTRUCTIONS

Claridge LCS Porcelain® enamel steel surfaces are guaranteed to withstand the rigors of everyday use. Proper use and maintenance will ensure performance and keep LCS Porcelain markerboards and chalkboards looking like new. Visit claridgeproducts.com for complete cleaning and maintenance instructions.

WRITING SURFACE WARRANTY

Claridge LCS Porcelain enamel steel markerboard and chalkboard writing surfaces offer unsurpassed durability and performance – a lifetime of performance. We are so confident in the quality and dependability of our LCS Porcelain surfaces that we Guarantee it for the Life of the Building!

SPECIFICATION

Claridge markerboard and chalkboard surfaces are manufactured in accordance with PEI-1002 Manual and Performance Specifications for LCS Porcelain Enamel Writing Surfaces. The writing surface is made from steel covered on both sides with enamel coatings. Fusion bonded to the steel, the resulting LCS Porcelain surface is smooth, durable and abrasion-resistant providing the best dry-erase surface available.



WOOD
FINISH COLORS



ESPRESSO



MAHOGANY



CHERRY




MAPLE




WALNUT



NATURAL OAK



MEDIUM OAK




EBONY

NOTE: We cannot guarantee exact duplication of these samples. Variation in color and grain can be expected. If color match is critical, return sample with order and every attempt will be made to match as closely as possible.



800.434.4610
claridgeproducts.com

Claridge®



Under normal usage and maintenance, and when installed in accordance with manufacturer's instructions and recommendations, LCS Porcelain enamel steel markerboard and chalkboard writing surfaces are guaranteed for the Life of the Building.

Guarantee covers replacement of defective boards but does not include the cost of removal or re-installation.