PREMIERE
Display Case Cabinet - Freestanding

Features:

- Constructed in one continuous piece, wall support is not required
- Frame is heavy-gauge satin anodized aluminum; inside depth is 13-3/4”
- 3/16” tempered glass sliding doors with locks and keys, and three 6”, 8”, 10” or 12” wide adjustable glass shelves
- Optional oak or walnut low-pressure laminate base available
- Aluminum legs are 18” high”
- Tackable back panels in Claridge Cork, Fabricork, Guilford of Maine FR701 fabric, Hook-Fab , and Tan Nucork
- Back panels also available in Walnut or Oak grain high-pressure laminate
- Floor leveling glides included

Options:

- Intermediate sizes available
- Lights available
- Medium or dark bronze anodize or powder coat finish

Sizes (HxW)

5.5’ x 4’ x 1’4”
5.5’ x 5’ x 1’4”
5.5’ x 6’ x 1’4”
5.5’ x 8’ x 1’4”
5.5’ x 10’ x 1’4”
5.5’ x 12’ x 1’4”
5.5’ x 16’ x 1’4”

LEARN MORE

800-434-4610
claridgeproducts.com

Premiere Freestanding
Display Case

INSTALLATION INSTRUCTIONS

WARNING
Risk of injury to installers and users
Read the entire assembly directions before beginning assembly.

Tools

Level/Laser
Rubber Mallet
Utility Knife

Installation Instructions

1. The unit has adjustable glides on the bottom of the legs. After the unit is positioned in place. Screw the glides up or down to level the unit. Make sure all the glides have contact with the floor.
2. Insert the shelf bracket into the standard. Use a rubber mallet to tap the bracket down insuring the bracket locks into place. Note: Make sure the brackets for each individual shelf are level.
3. Place shelves on the shelf brackets.
4. Place the sliding door track into the door channel. Refer to the sliding door installation instructions on assembling the door hardware. The back door will need to be placed in the unit first.

Sliding Door Installation Instructions

1. Insert door rollers “B” into long portion of “H” shapped aluminum door channel “C” approximately 1 1/2“ from each end.
2. Install vinyl glazing “G” on bottom edge of glass doors. Vinyl glazing shipped loose.
3. Slide aluminum door channels “C” onto glass doors “D” at vinyl glazing.
4. Slide rubber door guides “E” onto top of glass doors approximately 1 1/2” from each end.
5. Slip entire door assembly upwards into top track “F” and let rollers “B” rest on round portion of lower track assembly “A”.

800-434-4610
claridgeproducts.com

CLARIDGE CORK
Color Guide

NO. 1108 MUSHROOM

NO. 1103 OYSTER

NO. 1117 SALSA

NO. 1109 BUFF

NO. 1111 SMOKE

NO. 1118 TANGERINE

NO. 1110 FAWN

NO. 1113 STEEL GRAY

NO. 1119 PINEAPPLE

NO. 1100 TAN

NO. 1136 GRAPHITE

NO. 1120 LETTUCE

NO. 1104 CINNAMON

NO. 1132 BLACK

NO. 1129 BLUEBERRY

Note: Color may vary slightly from samples.

PRODUCT DESCRIPTION

Claridge Cork is made from pure, natural ingredients including linseed oil, pine resin, cork and pigments that are calendared onto a jute backing to create a smooth, suede-like surface of unsurpassed beauty and exceptional durability.

FEATURES

- Environmentally friendly
- Tacks insert easily, are gripped firmly
- Does not crack, peel or crumble
- Washable stain-resistant finish
- Expanded color range - 15 harmonizing colors
- Dimensionally stable
- Meets ASTM E-84, NFPA 258 (fuel contribution) - Class B, and NFPA 255 (critical radiant flux) - Class II
- No toxins - no harmful by-products or emissions
- Low light reflectance
- Naturally inhibits bacterial growth

Note: Features referenced above reflect characteristics of the cork surface only.

Claridge®

Guilford of Maine® FR701®

TACKBOARD FABRICS

1683 Silver

1686 Dark Pearl

1691 Quartz

1692 Wheat

1681 Cement Mix

1690 Grey Mix

1680 Lime

1693 Sunshine

1679 Cardinal

1685 Flannel

1689 Wedgewood

1688 Cobalt

1684 Noir

Please note minimal color shade variations may occur from one dye lot to another.

TACKBOARD FABRICS

FR701® 2100

Specifications

Content	100% post-consumer recycled polyester
Weight	16.0 ± 0.5 oz./lin. yd.
Width	66" min. usable

Acoustical Performance

The plot below summarizes impedance tube measurements of absorption of an anechoic termination and various fabrics in front of the anechoic termination.

NRC of anechoic termination - 1.00

NRC of fabric in front of anechoic termination- .95

Performance

Colorfastness to Light (AATCC 16.3 Option 3)
Grade 4 min. at 40 hours

Colorfastness to Crocking (AATCC 8)
Grade 4 min. dry & Grade 3 min. wet

Breaking Strength (ASTM D5034)
150 lbf min. warp and fill

Flammability (ASTM E84)
Class 1 or A

Cleaning Code

Clean with water based cleaning agents, foam or pure, water free solvents. Vacuuming or light brushing is recommended to prevent dust and soil buildup.

Miscellaneous

Colors may vary between dye lots. This is non-directional fabric. Proudly woven in the USA supporting our local communities.

Terratex is a registered trademark of True Textiles, Inc. and designates fabrics that are made from 100% recycled or compostable material using increasingly sustainable manufacturing practices to produce a high quality product that is recyclable at the end of its useful life.

CO_2 emissions from 100% of the electricity used by the manufacturer to produce this product have been measured and offset in accordance with The CarbonNeutral Protocol.

This pattern is included in the underwriters laboratory panel fabric recognition program. Additional testing of this U.L. recognized component fabric is not required on approved panels from participating manufacturers.

Claridge®
800.434.4610
claridgeproducts.com

Claridge®

FABRICORK
Color Options

KE584 POWER

Claridge Fabricork Vinyl Bulletin Board is made of vinyl coated fabric that will wear almost indefinitely and stay new-looking for years. Fabricork is entirely washable. Spots and soil wash away with household soap and water.

Featuring Koroseal® Wallcovering
Manufactured by Koroseal Interior Products LLC

Please note minimal color variation may occur with each dye lot.

Viewpoint Pattern

KV216 ECRU

KV230 OYSTER

KV241 WHEAT STRAW

KV237 CURRY

KV233 DRIFTWOOD

Esquire Pattern

KE522 INNOCENT

KE592 GENTLEMAN GREY

KE510 RUNWAY

KE584 POWER

KE591 COUNSELOR

Linden Pattern

KL490 RECTORY

KL498 WINTHROPE

KL404 DORSET

KL483 DOWNING STONE

KL412 ANCESTRAL

Belair Pattern

KB290 STERLING

KB278 PACIFIC

KB661 DAWN

KB662 GREY

KB664 ANTIQUE

FABRICORK
Properties

FEATURES
- Meets or exceeds Type 1 requirements in Federal Specification CCC-W-408A
- Manufactured with water based inks and coatings
- Has a water based acrylic top coat for improved cleanability
- Cadmium and Mercury Free
- Meets CA 01350 requirements
- Contains Early Warning Effect® Life Safety and Property Protection
- Can be supplied Micro-vented to reduce potential for mold and mildew growth

PATTERNS
- Viewpoint
- Esquire
- Linden
- Belair

PROPERTIES

Total Weight	Viewpoint, Esquire and Linden - 21 oz/linear yd. Belair - 15 oz/linear yd.
Average Thickness	0.017 to 0.021 in.
Tensile (typical)	Viewpoint, Esquire and Linden - 50 x 55 lbf minimum Belair - 30 x 30 lbf minimum
Tear (typical)	Viewpoint, Esquire and Linden - 25 x 25 minimum Belair - 12 x 12 minimum
ASTM E84 Test Results	**Class A**
Flame Spread	25 or less
Smoke Developed	50 or less

Koroseal Interior Products LLC
Koroseal® Wallcovering • www.koroseal.com

Koroseal® and Early Warning Effectare® trademarks and registered trademarks of Koroseal Interior Products LLC.

TAN NUCORK

BULLETIN BOARD SAMPLE

TAN NUCORK is a premium grade, fine grain natural tan composition cork. Nucork is dimensionally stable and has uniform density and particle size.

- An economical tackboard surface, Tan Nucork is pure grain natural cork without burlap backing
- Nucork has a smooth, resilient surface ideal for use with pins or thumbtacks
- 150 FR Nucork has a Class B fire rating based on ASTME84 tunnel test as follows: flame spread – 65; smoke developed – 70. Meets military specification MIL-C-15116, Type II

800.434.4610
claridgeproducts.com

POWDER COATINGS

Color Guide

An environmentally friendly process that offers a wide range of decorative, functional colors for use on glass markerboards, walls, and metal frames.

BENEFITS OF POWDER COATING

- More durable than baked enamels
- Delivers a brighter, smoother and cleaner finish
- Environmentally friendly, produces less hazardous waste than conventional liquid coatings
- Color choices are virtually unlimited with custom color matching

Colors are reproduced with reasonable accuracy in standard Gloss finish unless noted Matte.
If match is critical, contact us at 800-434-4610 for actual samples

Powder Coat Colors

RAL9016 Traffic White	RAL9002 Grey White	RAL9018 Papyrus White	RAL7038 Agate Grey	RAL7035 Light Grey	RAL7044 Silk Grey
RAL9010 Pure White	RAL9003 Signal White	RAL9001 Cream	RAL7047 Telegrey 4	RAL7036 Platinum Grey	RAL7045 Telegrey 1
RAL7032 Pebble Grey	RAL7033 Cement Grey	RAL7042 Traffic Grey A	RAL7004 Signal Grey	RAL7046 Telegrey 2	RAL7037 Dusty Grey
RAL7030 Stone Grey	RAL7034 Yellow Grey	RAL7005 Mouse Grey	RAL7040 Window Grey	RAL7012 Basalt Grey	RAL7043 Traffic Grey B
RAL7003 Moss Grey	RAL7013 Brown Grey	RAL7039 Quartz Grey	RAL7006 Beige Grey	RAL7000 Squirrel Grey	RAL7009 Green Grey
RAL7001 Silver Grey	RAL7010 Tarpaulin Grey	RAL7023 Concrete Grey	RAL7002 Olive Grey	RAL7022 Umbra Grey	RAL7011 Iron Grey
RAL6006 Grey Olive	RAL7008 Khaki Grey	RAL7016 Anthracite Grey	RAL7026 Granite Grey	RAL7024 Graphite Grey	RAL7021 Black Grey
RAL1013 Oyster White	RAL1015 Light Ivory	RAL1014 Ivory	RAL1000 Green Beige	RAL1001 Beige	RAL1011 Brown Beige
RAL1002 Sand Yellow	RAL1019 Grey Beige	RAL1020 Olive Yellow	RAL1024 Ochre Yellow	RAL1027 Curry	RAL1032 Broom Yellow

RAL1021 Yellow	RAL1018 Zinc Yellow	RAL1033 Dahlia Yellow	RAL2009 Traffic Orange	RAL2004 Pure Orange	RAL3004 Purple Red
RAL1016 Sulfur Yellow	RAL1012 Lemon Yellow	RAL1034 Pastel Yellow	RAL2010 Signal Orange	RAL2008 Bright Red Orange	RAL3005 Wine Red
RAL1028 Melon Yellow	RAL1023 Traffic Yellow	RAL2000 Yellow Orange	RAL2011 Deep Orange	RAL3002 Carmine Red	RAL3007 Black Red
RAL1003 Signal Yellow	RAL1017 Saffron Yellow	RAL2001 Red Orange	RAL2012 Salmon Orange	RAL3003 Ruby Redy	RAL3009 Oxide Red
RAL1004 Golden Yellow	RAL1006 Maize Yellow	RAL2002 Vermilion	RAL3000 Flame Red	RAL3013 Tomato Red	RAL3011 Brown Red
RAL1005 Honey Yellow	RAL1007 Daffodil Yellow	RAL2003 Pastel Orange	RAL3001 Signal Red	RAL3014 Antique Pink	RAL3012 Beige Red
RAL3015 Light Pink	RAL4001 Red Lilac	RAL4009 Pastel Violet	RAL3016 Coral Red	RAL4002 Red Violet	RAL4010 Telemagenta
RAL4003 Heather Violet	RAL4005 Blue Lilac	RAL3017 Rose	RAL3018 Strawberry Red	RAL3020 Traffic Red	RAL4004 Claret Violet
RAL4006 Traffic Purple	RAL4008 Signal Violet	RAL3022 Salmon Pink	RAL3027 Raspberry Red	RAL3031 Orient Red	RAL4007 Purple Violet

RAL5024 Pastel Blue	RAL5007 Brilliant Blue	RAL5000 Violet Blue	RAL5009 Azure Blue	RAL5018 Turquoise Blue	RAL6001 Emerald Green
RAL5015 Sky Blue	RAL5023 Distant Blue	RAL5001 Green Blue	RAL5010 Gentian Blue	RAL5019 Capri Blue	RAL6002 Leaf Green
RAL5017 Traffic Blue	RAL5014 Pigeon Blue	RAL5002 Ultramarine Blue	RAL5011 Steele Blue	RAL5020 Ocean Blue	RAL6003 Olive Green
RAL5005 Signal Blue	RAL5012 Light Blue	RAL5003 Sapphire Blue	RAL5008 Grey Blue	RAL5021 Water Blue	RAL6004 Blue Green
RAL5013 Cobalt	RAL5022 Night Blue	RAL5004 Black Blue	RAL6000 Patina Green	RAL6034 Pastel Turquoise	RAL6005 Moss Green
RAL6007 Bottle Green	RAL6015 Black Olive	RAL6024 Traffic Green	RAL6027 Light Green	RAL6019 Pastel Green	RAL6028 Pine Green
RAL6008 Brown Green	RAL6016 Turquoise Green	RAL6025 Fern Green	RAL6026 Opal Green	RAL6021 Pale Green	RAL6029 Mint Green
RAL6009 Fir Green	RAL6017 May Green	RAL6011 Reseda Green	RAL6013 Reed Green	RAL6020 Chrome Green	RAL6032 Signal Green
RAL6010 Grass Green	RAL6018 Yellow Green	RAL6012 Black Green	RAL6014 Yellow Olive	RAL6022 Olive Drab	RAL6033 Mint Turquoise

RAL8015
Chestnut Brown

RAL8012
Red Brown

RAL8024
Beige Brown

RAL8023
Orange Brown

RAL8002
Signal Brown

RAL8017
Chocolate Brown

RAL8019
Grey Brown

RAL9004
Signal Black

RAL8008
Olive Brown

RAL8003
Clay Brown

RAL8000
Green Brown

RAL8004
Copper Brown

RAL8016
Mahogany Brown

RAL8014
Sepia Brown

RAL8025
Pale Brown

RAL8001
Ocher Brown

RAL8007
Fawn Brown

RAL8022
Black Brown

RAL9005
Jet Black

RAL9011
Graphite Black

RAL8011
Nut Brown

RAL8028
Terra Brown

RAL9017
Traffic Black

Colors are reproduced with reasonable accuracy in standard Gloss finish unless noted Matte. If match is critical, contact us at 800-434-4610 for actual samples.

Standard Color Selections for Aluminum

Claridge offers the durability and brilliance of powder coat finishes for aluminum framed boards, mobile marker-boards cases, display cabinets and virtually any product offered with a metal or extruded aluminum component. Choose from any of the 24 standard colors shown below, or select from more than a 180 optional powder coat color examples inside – including textured and transparent finish choices.

RAL1013 Oyster White	RAL2009 Traffic Orange	RAL4001 Red Lilac	RAL5005 Signal Blue	RAL6005 Moss Green	RAL8017 Chocolate Brown
RAL1015 Light Ivory	RAL3003 Ruby Red	RAL4004 Claret Violet	RAL5013 Cobalt Blue	RAL6024 Traffic Green	RAL8025 Pale Brown
RAL1003 Signal Yellow	RAL3018 Strawberry Red	RAL5000 Violet Blue	RAL5015 Sky Blue	RAL7001 Silver Grey	RAL9003 Signal White
RAL1018 Zinc Yellow	RAL3020 Traffic Red	RAL5002 Ultramarine Blue	RAL6002 Leaf Green	RAL7015 Slate Grey	RAL9005 Jet Black

Optional Transparent Finishes

Aluminum Only

Transparent Green	Copper	Candy Red	Candy Teal	Candy Purple

Optional Textured Finishes

Aluminum Only

PPLS98550 Antique Copper Vein	PES98116 Goldtone Vein	PEBS98802 Bonded Silver Vein

Claridge®

800.434.4610
claridgeproducts.com

Claridge®

Display cases are warranted for a period of ten (10) years under normal use and proper maintenance.

This warranty covers the repair or replacement of manufactured parts found to be defective in materials, finish, or workmanship during the warranty period. Coverage is limited to the replacement of defective parts only and does not include the cost of removal, reinstallation, or related labor expenses.

800-434-4610 | claridgeproducts.com

SCS Global Services *does hereby certify that an independent assessment has been conducted on behalf of:*

Claridge Products & Equipment

480 Wrangler Drive
Suite 200, Coppell, 75019, United States

For the following product(s):

See Addendum

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

Indoor Advantage™ Gold

Indoor Air Quality Certified to SCS-105 v4.2

Conforms to the ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2021) and ANSI/BIFMA e.3-2024 (Credits 7.6.2, 7.6.3) for the open plan and (Credits 7.6.1, 7.6.2, 7.6.3) private office workstation parameters.[1] Also, conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for the open plan and school classroom parameters.[1]

[1]Modeled as Individual Furniture Components

INDOOR ADVANTAGE GOLD FURNITURE

ANSI National Accreditation Board
ACCREDITED
ISO/IEC 17065
PRODUCT CERTIFICATION BODY

Registration # SCS-IAQ-09072
Valid from: June 09, 2025 to June 08, 2026

Diana Kirsanova Phillips, Chief Assurance Officer,
SCS Global Services

Certification Addendum

Claridge Products & Equipment

Certification: Registration # SCS-IAQ-09072 | Valid from: June 09, 2025 to June 08, 2026

Addendum Conformance: **Indoor Advantage™ Gold**
Indoor Air Quality Certified to SCS-105 v4.2
Conforms to the ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2021) and ANSI/BIFMA e.3-2024 (Credits 7.6.2, 7.6.3) for the open plan and (Credits 7.6.1, 7.6.2, 7.6.3) private office workstation parameters.[1] Also, conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for the open plan and school classroom parameters.[1]
[1]Modeled as Individual Furniture Components

Products:

Visual Display Boards:
3300 Series Tackboard, 3400 Series Tackboard, 344 Wave Lectern, 370 Series Recessed Display Case, 390 Large Door Recessed Display Case, 725 Folding Screen, 748 Universal Display Case, 79 Hang-Tight Rail System, 800 Series Markerboard, 800 Series Tackboard, 800 Series Type BR/BL Combo Markerboard Tackboard, 900A Tackboard, 94 Combination Map Rail & Clip Strip, Aceno Room Divider Panels-Base, Aceno Track System, Arise Marker Walls, Arise Markerboard, Aspire Markerboards, Claridge LCS Porcelain, Classic Series Bulletin Board Cabinet, Classic Series Display Case, Concept Markerboard, Concept Tackboard, Connect X2 3 Caster Mobile Markerboard, Connect X2 Combination Markerboard/Tackboard, Connect X2 Full Height Mobile Markerboard Procelain-Glass, Connect X2 Markerboard Porcelain-Glass, Connect X2 Partial Height Markerboard, Connect X2 Space Creator Porcelain-Cork-Fabric, Connect X2 Tackboard, Contemporary Series Bulletin Board Cabinet, Contemporary Series Bulletin Board Cabinet, Contemporary Style Laminate Lecture Unit, Contio Mobile Markerboard, CS Clip Strips, Cursive Board, Cursive One Markerboard-Tackboard, Custom Printed Glass Boards, Deluxe Series Bulletin Board Cabinet, Deluxe Series Revolving Two-sided Mobile Markerboard, Deluxe Two-sided Mobile Markerboard, Display Case-Cabinet, Economy and Deluxe Map & Display Rail, Edify Mobile Markerboard, EDR Exhibit Rail, Envision Graphics Markerboard, Economy and Deluxe Map & Display Rail, Evolve Markerboard, Evolve Sliding System, Evolve Tackboard, EZ Fit Markerboard Panel, Framed Tackboard, Glass Marker Walls, Glass Markerboards, Horizontal Sliding Markerboards, Imperial Series Bulletin Board Cabinet, Large Contemporary Series Bulletin Board Cabinet, Large Format Glass Marker System, Large Format Porcelain Marker System, LCS Deluxe Markerboard-Aluminum Frame,

Certification Addendum

Claridge Products & Equipment

Certification: Registration # SCS-IAQ-09072 | Valid from: June 09, 2025 to June 08, 2026

Addendum Conformance: **Indoor Advantage™ Gold**
Indoor Air Quality Certified to SCS-105 v4.2
Conforms to the ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2021) and ANSI/BIFMA e.3-2024 (Credits 7.6.2, 7.6.3) for the open plan and (Credits 7.6.1, 7.6.2, 7.6.3) private office workstation parameters.[1] Also, conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for the open plan and school classroom parameters.[1]
[1]Modeled as Individual Furniture Components

Products:

Visual Display Boards Continued:
LCS Deluxe Markerboard-Aluminum Frame No Map Rail, LCS Deluxe Markerboard-Wood Frame, LCS Elite Markerboard, LCS Select Markerboard, LCS Wall-Write Marker Wall, LCS-Glass Combo Boards, Magnetic Glass Markerboard, Magnetic Non-Glare Glass Markerboard, Marker Walls, Merit Series Markerboard, Mina Mobile, Mina Space Creator, Non-Magnetic Non-Glare Glass Markerboard, Premier Wall Mounted Display Case, Premiere Freestanding Display Case, Premiere Series Reversible Mobile Markerboard w/ aluminum trim, Profile Frameless LCS Porcelain Markerboard, Revere Series Bulletin Board, Revere Series Bulletin Board Cabinet, Ripple Space Divider Acoustic-Acrylic, Series 1 Markerboard, Series 1 Tackboard, Series 5 Markerboard, Series 5 Tackboard, Series 2 Markerboard, Series 2 Tackboard, Series 2500 Markerboard, Series 3 Markerboard, Series 3 Tackboard, Series 4 Markerboard, Series 4 Tackboard, Series 8 Markerboard, Series 8 Tackboard, Sliding Marker Wall Systems Porcelain-Glass, Switch Markerboard Porcelain-Glass, Switch Mobile Markerboard Porcelain-Glass, Tableau Markerboard Porcelain-Glass, Tableau Tackboard, Tack Wall, TacPads Acoustic Fabric-Wrapped, Trak-it-system, TrimLine Markerboard, Universal Series Bulletin Board Cabinet, Utility A-Frame Mobile Markerboard, Venue Markerboard Porcelain-Glass, Venue Space Divider Porcelain-Glass Acoustic, Venue T-Leg Mobile Markerboard porcelain-Glass, Venue V-Leg Mobile Markerboard Porcelain-Glass, Vertical Sliding Markerboards, Xchange Graphic Board
Excludes products with wood trim. Excludes products manufactured with a cork substrate. Tackboard included are constructed with a fabricork or designer fabric over Duracore or Micore.