

WALL-WRITE™

Marker Wall

Claridge®



Claridge LCS Wall-Write marker walls offer a room-size presentation surface designed for heavy use and multiple-format presentations. Cover an entire wall, floor-to-ceiling, up to 10' and utilize all available space. Ideal for classrooms, libraries, gyms, administration offices and anywhere else writing surfaces are used to teach or collaborate.

- Claridge LCS Porcelain is an incredibly smooth surface which provides a great writing experience that will stand the test of time
- Projection friendly writing surface that won't ghost or stain. Available in 7 standard Markerboard or Chalkboard colors
- Cover an entire wall, floor-to-ceiling in heights up to 10'
- Panels butt together with spline joints for a continuous writing surface

Samples available at:



WALL-WRITE™

Marker Wall



SPECIFICATIONS

- Individual panels available in heights up to 10' and widths up to 3'11-1/2"
- Wall-Write Marker Walls are custom fabricated to your wall or environment dimensions. A writing surface expert will work closely with you to coordinate accurate field measurements.
- 1 1/16" or 3/4" face perimeter trim in clear anodized finish
- Custom sizes and configurations available
- Lifetime writing surface warranty

PORCELAIN HIGHLIGHTS

- Premium writing surface
- Projectable surface
- Low reflectivity
- Accepts magnetic accessories
- Bacteria resistant
- Available in high gloss
- Lifetime warranty

COLORS

- 4 markerboard colors
- 3 chalkboard colors

View Claridge LCS Porcelain Colors [HERE](#)

[LEARN MORE](#)



800-434-4610
claridgeproducts.com



Wall-Write Marker Wall WW2



INSTALLATION INSTRUCTIONS


Tools Needed:

- Laser/level
- Drill and drill bit
- Screw driver
- Tape measure
- Caulk gun
- Suction cups (recommended)
- If cut outs are needed – jig saw with a metal cutting blade
- Rubber mallet
- Safety glasses

WARNING

Risk of injury to installers and users
Read the entire assembly directions before
beginning assembly.

Wall-Write Marker Wall - WW2



INSTALLATION

Note: Throughout installation, be sure to allow a $\frac{1}{4}$ " spacing around perimeter of J-trim, this will allow your top trim to snap in place.

1. Install bottom J trim cut $2\frac{1}{2}$ " less than overall width allowing $1\frac{1}{4}$ " on each side. Make sure bottom J trim is level then insert $\frac{1}{2}$ " wood blocking (see Figure 1)
2. Install J-trim from either side aligning side trim with the bottom of the bottom J-trim. Make sure it is plumb. Note: side trim must be $1\frac{1}{8}$ " longer than panel height.
3. Install top J-trim flush with the top of your side trim. Cut top trim the same length of your bottom trim. Note: overall opening height must be $\frac{1}{2}$ " shorter than panel height. (see Figure 1)
4. Apply egg-size globs of adhesive to the back of the first panel, in a 1' grid pattern. Install panel by inserting into the top J-trim, swinging bottom of panel over bottom J-trim and setting down onto blocking. Adjust panel sideways to fit inside side trim. Compress panel to wall to ensure bonding between panel and wall, making sure your panel is plumb.
5. Repeat with additional panels, using chosen joint connection, until all panels are installed. If using a Spline Bar for the joint, secure to the wall by putting adhesive on the back of the spline or screw it to the wall, being sure not to over tighten. Over tightening can lead to the spline twisting. Note: On last panel of wall to wall application, it will be necessary to add side J-trim onto panel, and install both, panel and J-trim at the same time.
6. After last panel is installed, secure last piece of J-trim to wall by screw through J-trim and panel into wall. Note: Be sure not to overtighten so that trim reveal stays consistent.
7. If you are using a Spline Bar for the joint, we strongly suggest you shore up spline joint. In order to shore spline joints, cut 2x4 the height of your unit. Securing 2x4 to top and bottom J-trim by screwing through 2x4 into trim and panel (holes will be later concealed with face trim). Insert shims at any high spots along the joint so that the joint is flush. The joint should not overlap or have high or low spots. Allow adhesive to properly cure, and then remove 2x4s and shims.
8. At this point, to finish the unit, apply face trim. When applying face trim, always start with the ends. Cutting side face trim $\frac{3}{16}$ " longer than the side J-trim installed previously. Then cut the face trim for bottom and top to fit between the side face trim.



800-434-4610
claridgeproducts.com



Wall-Write Marker Wall WW3



INSTALLATION INSTRUCTIONS


Tools Needed:

- Laser/level
- Drill and drill bit
- Screw driver
- Tape measure
- Caulk gun
- Suction cups (recommended)
- If cut outs are needed – jig saw with a metal cutting blade
- Rubber mallet
- Safety glasses

WARNING

Risk of injury to installers and users
Read the entire assembly directions before
beginning assembly.

Wall-Write Marker Wall - WW3



INSTALLATION

Note: Throughout installation, be sure to allow a $\frac{1}{4}$ " spacing around perimeter of J-trim, this will allow your top trim to snap in place.

1. Install bottom J trim cut $2\frac{3}{4}$ " less than overall width allowing $1\frac{3}{8}$ " on each side. Make sure bottom J trim is level then insert $\frac{1}{4}$ " wood blocking (see Figure 1)
2. Install J-trim from either side aligning side trim with the bottom of the bottom J-trim. Make sure it is plumb. Note: side trim must be $\frac{3}{4}$ " longer than panel height.
3. Install top J-trim flush with the top of your side trim. Cut top trim the same length of your bottom trim. Note: overall opening height must be $\frac{3}{8}$ " shorter than panel height. (see Figure 1)
4. Apply egg-size globs of adhesive to the back of the first panel, in a 1' grid pattern. Install panel by inserting into the top J-trim, swinging bottom of panel over bottom J-trim and setting down onto blocking. Adjust panel sideways to fit inside side trim. Compress panel to wall to ensure bonding between panel and wall, making sure your panel is plumb.
5. Repeat with additional panels, using chosen joint connection, until all panels are installed. If using a Spline Bar for the joint, secure to the wall by putting adhesive on the back of the spline or screw it to the wall, being sure not to over tighten. Over tightening can lead to the spline twisting. Note: On last panel of wall to wall application, it will be necessary to add side J-trim onto panel, and install both, panel and J-trim at the same time.
6. After last panel is installed, secure last piece of J-trim to wall by screw through J-trim and panel into wall. Note: Be sure not to overtighten so that trim reveal stays consistent.
7. If you are using a Spline Bar for the joint, we strongly suggest you shore up spline joint. In order to shore spline joints, cut 2x4 the height of your unit. Securing 2x4 to top and bottom J-trim by screwing through 2x4 into trim and panel (holes will be later concealed with face trim). Insert shims at any high spots along the joint so that the joint is flush. The joint should not overlap or have high or low spots. Allow adhesive to properly cure, and then remove 2x4s and shims.
8. At this point, to finish the unit, apply face trim. When applying face trim, always start with the ends. Cutting side face trim $\frac{3}{16}$ " longer than the side J-trim installed previously. Then cut the face trim for bottom and top to fit between the side face trim.




800-434-4610
claridgeproducts.com




Standard Color Selections

LCS Porcelain Colors - use with markers



Chalkboard Colors - use with chalk



Claridge LCS Porcelain enamel steel markerboard and chalkboard writing surfaces offer unsurpassed durability and performance – a lifetime of performance.

An environmentally friendly process that offers a wide range of decorative and functional colors for use on porcelain markerboards and walls.

- Smooth writing and clean erasing
- Unmatched scratch and stain resistance
- 100% non-combustible surface
- Magnetic surface
- Projection-friendly low gloss LCS surface
- Life of the Building Guarantee
- LCS Porcelain surface is SCS Indoor Advantage Certified

*Colors are reproduced with reasonable accuracy, and are for color identification purposes only.
If color is critical, contact us at 800-434-4610 to request an actual color sample.*





LCS PORCELAIN Markerboard and Chalkboard Features

ENVIRONMENTAL FEATURES

- **SCS Indoor Advantage Certified**

SCS Indoor Advantage certifications are product certification programs for low emitting interior building materials, furnishings and finish systems. SCS Indoor Advantage certified products undergo rigorous testing and must meet stringent standards for low chemical emissions based on established health standards for use in environments such as schools and healthcare facilities.

- **Cradle-to-Cradle™ Bronze Certification**

Cradle-to-Cradle Certification focuses on the characteristics of sustainable materials, products, and systems. The process places emphasis on the human and ecological health impacts of a product's ingredients, and on the ability of that product to be recycled or composted.

Third-party environmental certification assures customers and end users that products selected support healthy indoor air quality and do not emit harmful chemicals. LCS is non-combustible, gives off no toxic gases and is 99.9% recyclable.

CLEANING INSTRUCTIONS

Claridge LCS Porcelain® enamel steel surfaces are guaranteed to withstand the rigors of everyday use. Proper use and maintenance will ensure performance and keep LCS Porcelain markerboards and chalkboards looking like new. Visit claridgeproducts.com for complete cleaning and maintenance instructions.

WRITING SURFACE WARRANTY

Claridge LCS Porcelain enamel steel markerboard and chalkboard writing surfaces offer unsurpassed durability and performance – a lifetime of performance. We are so confident in the quality and dependability of our LCS Porcelain surfaces that we Guarantee it for the Life of the Building!

SPECIFICATION

Claridge markerboard and chalkboard surfaces are manufactured in accordance with PEI-1002 Manual and Performance Specifications for LCS Porcelain Enamel Writing Surfaces. The writing surface is made from steel covered on both sides with enamel coatings. Fusion bonded to the steel, the resulting LCS Porcelain surface is smooth, durable and abrasion-resistant providing the best dry-erase surface available.



800.434.4610
claridgeproducts.com



POWDER COATINGS

Color Guide



An environmentally friendly process that offers a wide range of decorative, functional colors for use on glass markerboards, walls, and metal frames.


BENEFITS OF POWDER COATING

- More durable than baked enamels
- Delivers a brighter, smoother and cleaner finish
- Environmentally friendly, produces less hazardous waste than conventional liquid coatings
- Color choices are virtually unlimited with custom color matching


*Colors are reproduced with reasonable accuracy in standard Gloss finish unless noted Matte.
If match is critical, contact us at 800-434-4610 for actual samples*



Powder Coat Colors



RAL9016
Traffic White



RAL9002
Grey White



RAL9018
Papyrus White




RAL7038
Agate Grey




RAL7035
Light Grey




RAL7044
Silk Grey



RAL9010
Pure White



RAL9003
Signal White




RAL9001
Cream



RAL7047
Telegrey 4



RAL7036
Platinum Grey



RAL7045
Telegrey 1



RAL7032
Pebble Grey



RAL7033
Cement Grey



RAL7042
Traffic Grey A



RAL7004
Signal Grey



RAL7046
Telegrey 2



RAL7037
Dusty Grey



RAL7030
Stone Grey



RAL7034
Yellow Grey



RAL7005
Mouse Grey



RAL7040
Window Grey



RAL7012
Basalt Grey



RAL7043
Traffic Grey B



RAL7003
Moss Grey



RAL7013
Brown Grey



RAL7039
Quartz Grey



RAL7006
Beige Grey



RAL7000
Squirrel Grey



RAL7009
Green Grey



RAL7001
Silver Grey



RAL7010
Tarpaulin Grey



RAL7023
Concrete Grey



RAL7002
Olive Grey



RAL7022
Umbra Grey



RAL7011
Iron Grey



RAL6006
Grey Olive



RAL7008
Khaki Grey



RAL7016
Anthracite Grey



RAL7026
Granite Grey



RAL7024
Graphite Grey



RAL7021
Black Grey



RAL1013
Oyster White



RAL1015
Light Ivory



RAL1014
Ivory



RAL1000
Green Beige



RAL1001
Beige



RAL1011
Brown Beige



RAL1002
Sand Yellow



RAL1019
Grey Yellow



RAL1020
Olive Yellow



RAL1024
Ochre Yellow



RAL1027
Curry



RAL1032
Broom Yellow

					
RAL1021 Yellow	RAL1018 Zinc Yellow	RAL1033 Dahlia Yellow	RAL2009 Traffic Orange	RAL2004 Pure Orange	RAL3004 Purple Red
					
RAL1016 Sulfur Yellow	RAL1012 Lemon Yellow	RAL1034 Pastel Yellow	RAL2010 Signal Orange	RAL2008 Bright Red Orange	RAL3005 Wine Red
					
RAL1028 Melon Yellow	RAL1023 Traffic Yellow	RAL2000 Yellow Orange	RAL2011 Deep Orange	RAL3002 Carmine Red	RAL3007 Black Red
					
RAL1003 Signal Yellow	RAL1017 Saffron Yellow	RAL2001 Red Orange	RAL2012 Salmon Orange	RAL3003 Ruby Red	RAL3009 Oxide Red
					
RAL1004 Golden Yellow	RAL1006 Maize Yellow	RAL2002 Vermilion	RAL3000 Flame Red	RAL3013 Tomato Red	RAL3011 Brown Red
					
RAL1005 Honey Yellow	RAL1007 Daffodil Yellow	RAL2003 Pastel Orange	RAL3001 Signal Red	RAL3014 Antique Pink	RAL3012 Beige Red
					
RAL3015 Light Pink	RAL4001 Red Lilac	RAL4009 Pastel Violet	RAL3016 Coral Red	RAL4002 Red Violet	RAL4010 Telemagenta
					
RAL4003 Heather Violet	RAL4005 Blue Lilac	RAL3017 Rose	RAL3018 Strawberry Red	RAL3020 Traffic Red	RAL4004 Claret Violet
					
RAL4006 Traffic Purple	RAL4008 Signal Violet	RAL3022 Salmon Pink	RAL3027 Raspberry Red	RAL3031 Orient Red	RAL4007 Purple Violet



RAL5024
Pastel Blue



RAL5007
Brilliant Blue



RAL5000
Violet Blue



RAL5009
Azure Blue



RAL5018
Turquoise Blue



RAL6001
Emerald Green



RAL5015
Sky Blue



RAL5023
Distant Blue



RAL5001
Green Blue



RAL5010
Gentian Blue



RAL5019
Capri Blue



RAL6002
Leaf Green



RAL5017
Traffic Blue



RAL5014
Pigeon Blue



RAL5002
Ultramarine Blue



RAL5011
Steele Blue



RAL5020
Ocean Blue



RAL6003
Olive Green



RAL5005
Signal Blue



RAL5012
Light Blue



RAL5003
Sapphire Blue



RAL5008
Grey Blue



RAL5021
Water Blue



RAL6004
Blue Green



RAL5013
Cobalt



RAL5022
Night Blue



RAL5004
Black Blue




RAL6000
Patina Green




RAL6034
Pastel Turquoise



RAL6005
Moss Green




RAL6007
Bottle Green




RAL6015
Black Olive



RAL6024
Traffic Green




RAL6027
Light Green



RAL6019
Pastel Green




RAL6028
Pine Green




RAL6008
Brown Green




RAL6016
Turquoise Green



RAL6025
Fern Green



RAL6026
Opal Green




RAL6021
Pale Green




RAL6029
Mint Green




RAL6009
Fir Green




RAL6017
May Green



RAL6011
Reseda Green



RAL6013
Reed Green



RAL6020
Chrome Green




RAL6032
Signal Green




RAL6010
Grass Green




RAL6018
Yellow Green




RAL6012
Black Green






RAL6014
Yellow Olive



RAL6022
Olive Drab






RAL6033
Mint Turquoise

				
RAL8015 Chestnut Brown	RAL8012 Red Brown	RAL8024 Beige Brown	RAL8023 Orange Brown	RAL8002 Signal Brown
				
RAL8017 Chocolate Brown	RAL8019 Grey Brown	RAL9004 Signal Black	RAL8008 Olive Brown	RAL8003 Clay Brown
				
RAL8000 Green Brown	RAL8004 Copper Brown	RAL8016 Mahogany Brown	RAL8014 Sepia Brown	RAL8025 Pale Brown
				
RAL8001 Ocher Brown	RAL8007 Fawn Brown	RAL8022 Black Brown	RAL9005 Jet Black	RAL9011 Graphite Black
				
RAL8011 Nut Brown	RAL8028 Terra Brown	RAL9017 Traffic Black		

Colors are reproduced with reasonable accuracy in standard Gloss finish unless noted Matte. If match is critical, contact us at 800-434-4610 for actual samples.

Standard Color Selections for Aluminum

Claridge offers the durability and brilliance of powder coat finishes for aluminum framed boards, mobile marker-boards cases, display cabinets and virtually any product offered with a metal or extruded aluminum component. Choose from any of the 24 standard colors shown below, or select from more than a 180 optional powder coat color examples inside – including textured and transparent finish choices.

					
RAL1013 Oyster White	RAL2009 Traffic Orange	RAL4001 Red Lilac	RAL5005 Signal Blue	RAL6005 Moss Green	RAL8017 Chocolate Brown
					
RAL1015 Light Ivory	RAL3003 Ruby Red	RAL4004 Claret Violet	RAL5013 Cobalt Blue	RAL6024 Traffic Green	RAL8025 Pale Brown
					
RAL1003 Signal Yellow	RAL3018 Strawberry Red	RAL5000 Violet Blue	RAL5015 Sky Blue	RAL7001 Silver Grey	RAL9003 Signal White
					
RAL1018 Zinc Yellow	RAL3020 Traffic Red	RAL5002 Ultramarine Blue	RAL6002 Leaf Green	RAL7015 Slate Grey	RAL9005 Jet Black

Optional Transparent Finishes

Aluminum Only



Transparent Green



Copper



Candy Red




Candy Teal




Candy Purple

Optional Textured Finishes


Aluminum Only



PPLS98550
Antique Copper Vein




PES98116
Goldtone Vein



PEBS98802
Bonded Silver Vein



800.434.4610
claridgeproducts.com



Claridge®

Under normal usage and maintenance, and when installed in accordance with manufacturer's instructions and recommendations, LCS Porcelain enamel steel markerboard and chalkboard writing surfaces are guaranteed for the Life of the Building.

Guarantee covers replacement of defective boards but does not include the cost of removal or re-installation.

SCS Global Services does hereby certify that an independent assessment has been conducted on behalf of:

Claridge Products & Equipment

480 Wrangler Drive
Suite 200, Coppell, 75019, United States

For the following product(s):

See Addendum

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

Indoor Advantage™ Gold

Indoor Air Quality Certified to SCS-105 v4.2

Conforms to the ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2021) and ANSI/BIFMA e.3-2024 (Credits 7.6.2, 7.6.3) for the open plan and (Credits 7.6.1, 7.6.2, 7.6.3) private office workstation parameters.¹ Also, conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for the open plan and school classroom parameters.¹

¹Modeled as Individual Furniture Components

Registration # SCS-IAQ-09072
Valid from: June 09, 2025 to June 08, 2026



INDOOR ADVANTAGE GOLD
FURNITURE



Diana Kirsanova Phillips, Chief Assurance
Officer,
SCS Global Services

Certification Addendum

Claridge Products & Equipment

Certification: Registration # SCS-IAQ-09072 | Valid from: June 09, 2025 to June 08, 2026

Addendum Indoor Advantage™ Gold

Conformance: Indoor Air Quality Certified to SCS-105 v4.2

Conforms to the ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2021) and ANSI/BIFMA e.3-2024 (Credits 7.6.2, 7.6.3) for the open plan and (Credits 7.6.1, 7.6.2, 7.6.3) private office workstation parameters.¹ Also, conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for the open plan and school classroom parameters.¹

¹Modeled as Individual Furniture Components

Products:

Visual Display Boards:

3300 Series Tackboard, 3400 Series Tackboard, 344 Wave Lectern, 370 Series Recessed Display Case, 390 Large Door Recessed Display Case, 725 Folding Screen, 748 Universal Display Case, 79 Hang-Tight Rail System, 800 Series Markerboard, 800 Series Tackboard, 800 Series Type BR/BL Combo Markerboard Tackboard, 900A Tackboard, 94 Combination Map Rail & Clip Strip, Aceno Room Divider Panels-Base, Aceno Track System, Arise Marker Walls, Arise Markerboard, Aspire Markerboards, Claridge LCS Porcelain, Classic Series Bulletin Board Cabinet, Classic Series Display Case, Concept Markerboard, Concept Tackboard, Connect X2 3 Caster Mobile Markerboard, Connect X2 Combination Markerboard/Tackboard, Connect X2 Full Height Mobile Markerboard Porcelain-Glass, Connect X2 Markerboard Porcelain-Glass, Connect X2 Partial Height Markerboard, Connect X2 Space Creator Porcelain-Cork-Fabric, Connect X2 Tackboard, Contemporary Series Bulletin Board Cabinet, Contemporary Series Bulletin Board Cabinet, Contemporary Style Laminate Lecture Unit, Contio Mobile Markerboard, CS Clip Strips, Cursive Board, Cursive One Markerboard-Tackboard, Custom Printed Glass Boards, Deluxe Series Bulletin Board Cabinet, Deluxe Series Revolving Two-sided Mobile Markerboard, Deluxe Two-sided Mobile Markerboard, Display Case-Cabinet, Economy and Deluxe Map & Display Rail, Edify Mobile Markerboard, EDR Exhibit Rail, Envision Graphics Markerboard, Economy and Deluxe Map & Display Rail, Evolve Markerboard, Evolve Sliding System, Evolve Tackboard, EZ Fit Markerboard Panel, Framed Tackboard, Glass Marker Walls, Glass Markerboards, Horizontal Sliding Markerboards, Imperial Series Bulletin Board Cabinet, Large Contemporary Series Bulletin Board Cabinet, Large Format Glass Marker System, Large Format Porcelain Marker System, LCS Deluxe Markerboard-Aluminum Frame,

Certification Addendum

Claridge Products & Equipment

Certification: Registration # SCS-IAQ-09072 | Valid from: June 09, 2025 to June 08, 2026

Addendum Indoor Advantage™ Gold

Conformance: Indoor Air Quality Certified to SCS-105 v4.2

Conforms to the ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2021) and ANSI/BIFMA e.3-2024 (Credits 7.6.2, 7.6.3) for the open plan and (Credits 7.6.1, 7.6.2, 7.6.3) private office workstation parameters.¹ Also, conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for the open plan and school classroom parameters.¹

¹Modeled as Individual Furniture Components

Products:

Visual Display Boards Continued:

LCS Deluxe Markerboard-Aluminum Frame No Map Rail, LCS Deluxe Markerboard-Wood Frame, LCS Elite Markerboard, LCS Select Markerboard, LCS Wall-Write Marker Wall, LCS-Glass Combo Boards, Magnetic Glass Markerboard, Magnetic Non-Glare Glass Markerboard, Marker Walls, Merit Series Markerboard, Mina Mobile, Mina Space Creator, Non-Magnetic Non-Glare Glass Markerboard, Premier Wall Mounted Display Case, Premiere Freestanding Display Case, Premiere Series Reversible Mobile Markerboard w/ aluminum trim, Profile Frameless LCS Porcelain Markerboard, Revere Series Bulletin Board, Revere Series Bulletin Board Cabinet, Ripple Space Divider Acoustic-Acrylic, Series 1 Markerboard, Series 1 Tackboard, Series 5 Markerboard, Series 5 Tackboard, Series 2 Markerboard, Series 2 Tackboard, Series 2500 Markerboard, Series 3 Markerboard, Series 3 Tackboard, Series 4 Markerboard, Series 4 Tackboard, Series 8 Markerboard, Series 8 Tackboard, Sliding Marker Wall Systems Porcelain-Glass, Switch Markerboard Porcelain-Glass, Switch Mobile Markerboard Porcelain-Glass, Tableau Markerboard Porcelain-Glass, Tableau Tackboard, Tack Wall, TacPads Acoustic Fabric-Wrapped, Trak-it-system, TrimLine Markerboard, Universal Series Bulletin Board Cabinet, Utility A-Frame Mobile Markerboard, Venue Markerboard Porcelain-Glass, Venue Space Divider Porcelain-Glass Acoustic, Venue T-Leg Mobile Markerboard porcelain-Glass, Venue V-Leg Mobile Markerboard Porcelain-Glass, Vertical Sliding Markerboards, Xchange Graphic Board

Excludes products with wood trim. Excludes products manufactured with a cork substrate. Tackboard included are constructed with a fabricork or designer fabric over Duracore or Micore.