370 Series
Recessed Display Case



Features:

- Display case fronts are built using satin anodized aluminum
- Tackable back panels in Claridge Cork, Fabricork, Guilford of Maine Fabric and Hook-Fab, or choose between Oak or Walnut grain high-pressure laminate
- 3/16” tempered glass sliding doors with lock and key
- Three 6″, 8″, 10″, or 12″ wide glass shelves with standard and brackets

Options:

- Wood box – specify depth – up to 24” (16” furnished if depth not specified) and finish – oak or walnut grain Wilsonart laminate
- LED Lighting
- Medium or dark bronze anodize or powder coat finish in lieu of clear anodize
- Hinged doors in lieu of sliding
- Radius front design optional

Sizes (HxW)

4’ x 4’
4’ x 6’
4’ x 8’
4’ x 10’
4’ x 12’
4’ x 16’

LEARN MORE


800-434-4610
claridgeproducts.com

Claridge

370 Series
Display Case





INSTALLATION INSTRUCTIONS



WARNING
Risk of injury to installers and users
Read the entire assembly directions before beginning assembly.

370 Series Display Case





Installation Instructions

1. Lay unit face down on flat surface. (Parts are numbered with matching numbers to fit together.)
   Note: If frame is disassembled, reassemble the frame with 3/8" flat head screws.
2. Fasten top, bottom, and ends to case front frame with 3/4" truss head screws, through wood, into frame. (Holes are pre-drilled.)
3. Fasten corners of box together with 1-1/2" pan head screws. (Holes are pre-drilled.)
4. Place back panel on box and fasten with 1-1/2" screws around perimeter of box.
   Note: If back panel is disassembled attach the back panel sections to the wood box. Remove the double sided tape backer from the steel strap. Attach the steel strap with 3/8" truss head screws.
5. If shelf standards are not already installed on back panel at factory, install standards with post and screws at pre-drilled holes.
6. If case gets light, install light in case with 5/8" truss head screws (2 per light). Wiring to be done by electrical contractor.
7. Set case into masonry opening and fasten as required per wall conditions. (Fasteners not included.)
8. Install shelf brackets, shelves, glass doors and lock. Case is ready to use.

Sliding Door Installation Instructions

1. Insert door rollers "B" into long portion of "H" shapped aluminum door channel "C" approximately 1 1/2" from each end.
2. Install vinyl glazing "G" on bottom edge of glass doors. Vinyl glazing shipped loose.
3. Slide aluminum door channels "C" onto glass doors "D" at vinyl glazing.
4. Slide rubber door guides "E" onto top of glass doors approximately 1 1/2" from each end.
5. Slip entire door assembly upwards into top track "F" and let rollers "B" rest on round portion of lower track assembly "A".

Claridge
800-434-4610
claridgeproducts.com

Claridge®

CLARIDGE CORK
Color Guide



NO. 1108 MUSHROOM



NO. 1103 OYSTER



NO. 1117 SALSA



NO. 1109 BUFF



NO. 1111 SMOKE



NO. 1118 TANGERINE



NO. 1110 FAWN



NO. 1113 STEEL GRAY



NO. 1119 PINEAPPLE



NO. 1100 TAN



NO. 1136 GRAPHITE




NO. 1120 LETTUCE



NO. 1104 CINNAMON



NO. 1132 BLACK



NO. 1129 BLUEBERRY

Note: Color may vary slightly from samples.

CLARIDGE CORK
Overview

PRODUCT DESCRIPTION

Claridge Cork is made from pure, natural ingredients including linseed oil, pine resin, cork and pigments that are calendared onto a jute backing to create a smooth, suede-like surface of unsurpassed beauty and exceptional durability.

FEATURES

- Environmentally friendly
- Tacks insert easily, are gripped firmly
- Does not crack, peel or crumble
- Washable stain-resistant finish
- Expanded color range - 15 harmonizing colors
- Dimensionally stable
- Meets ASTM E-84, NFPA 258 (fuel contribution) - Class B, and NFPA 255 (critical radiant flux) - Class II
- No toxins - no harmful by-products or emissions
- Low light reflectance
- Naturally inhibits bacterial growth

Note: Features referenced above reflect characteristics of the cork surface only.


Claridge®

Guilford of Maine® FR701®

TACKBOARD FABRICS



1683 Silver



1686 Dark Pearl



1691 Quartz




1692 Wheat




1681 Cement Mix



1690 Grey Mix




1680 Lime



1693 Sunshine




1679 Cardinal




1685 Flannel



1689 Wedgewood



1688 Cobalt



1684 Noir

Please note minimal color shade variations may occur from one dye lot to another.

TACKBOARD FABRICS


FR701® 2100

Specifications

Content	100% post-consumer recycled polyester
Weight	16.0 ± 0.5 oz./lin. yd.
Width	66" min. usable

Acoustical Performance

The plot below summarizes impedance tube measurements of absorption of an anechoic termination and various fabrics in front of the anechoic termination.



NRC of anechoic termination - 1.00

NRC of fabric in front of anechoic termination- .95

Performance

Colorfastness to Light (AATCC 16.3 Option 3)
Grade 4 min. at 40 hours

Colorfastness to Crocking (AATCC 8)
Grade 4 min. dry & Grade 3 min. wet

Breaking Strength (ASTM D5034)
150 lbf min. warp and fill

Flammability (ASTM E84)
Class 1 or A

Cleaning Code

Clean with water based cleaning agents, foam or pure, water free solvents. Vacuuming or light brushing is recommended to prevent dust and soil buildup.

Miscellaneous

Colors may vary between dye lots. This is non-directional fabric. Proudly woven in the USA supporting our local communities.


Terratex is a registered trademark of True Textiles, Inc. and designates fabrics that are made from 100% recycled or compostable material using increasingly sustainable manufacturing practices to produce a high quality product that is recyclable at the end of its useful life.

CO_2 emissions from 100% of the electricity used by the manufacturer to produce this product have been measured and offset in accordance with The CarbonNeutral Protocol.

This pattern is included in the underwriters laboratory panel fabric recognition program. Additional testing of this U.L. recognized component fabric is not required on approved panels from participating manufacturers.

Claridge®

FABRICORK
Color Options




KE584 POWER


Claridge Fabricork Vinyl Bulletin Board is made of vinyl coated fabric that will wear almost indefinitely and stay new-looking for years. Fabricork is entirely washable. Spots and soil wash away with household soap and water.

Featuring Koroseal® Wallcovering
Manufactured by Koroseal Interior Products LLC


Please note minimal color variation may occur with each dye lot.

Viewpoint Pattern


KV216 ECRU


KV230 OYSTER


KV241 WHEAT STRAW


KV237 CURRY


KV233 DRIFTWOOD

Esquire Pattern


KE522 INNOCENT


KE592 GENTLEMAN GREY



KE510 RUNWAY


KE584 POWER



KE591 COUNSELOR

Linden Pattern


KL490 RECTORY



KL498 WINTHROPE


KL404 DORSET



KL483 DOWNING STONE


KL412 ANCESTRAL


Belair Pattern


KB290 STERLING


KB278 PACIFIC


KB661 DAWN


KB662 GREY


KB664 ANTIQUE

FABRICORK
Properties

FEATURES
- Meets or exceeds Type 1 requirements in Federal Specification CCC-W-408A
- Manufactured with water based inks and coatings
- Has a water based acrylic top coat for improved cleanability
- Cadmium and Mercury Free
- Meets CA 01350 requirements
- Contains Early Warning Effect® Life Safety and Property Protection
- Can be supplied Micro-vented to reduce potential for mold and mildew growth

PATTERNS
- Viewpoint
- Esquire
- Linden
- Belair

PROPERTIES

Total Weight	Viewpoint, Esquire and Linden - 21 oz/linear yd. Belair - 15 oz/linear yd.
Average Thickness	0.017 to 0.021 in.
Tensile (typical)	Viewpoint, Esquire and Linden - 50 x 55 lbf minimum Belair - 30 x 30 lbf minimum
Tear (typical)	Viewpoint, Esquire and Linden - 25 x 25 minimum Belair - 12 x 12 minimum
ASTM E84 Test Results	**Class A**
Flame Spread	25 or less
Smoke Developed	50 or less

Koroseal Interior Products LLC
Koroseal® Wallcovering • www.koroseal.com

Koroseal® and Early Warning Effectare® trademarks and registered trademarks of Koroseal Interior Products LLC.

Claridge®

POWDER COATINGS
Color Guide



An environmentally friendly process that offers a wide range of decorative, functional colors for use on glass markerboards, walls, and metal frames.

BENEFITS OF POWDER COATING

- More durable than baked enamels
- Delivers a brighter, smoother and cleaner finish
- Environmentally friendly, produces less hazardous waste than conventional liquid coatings
- Color choices are virtually unlimited with custom color matching

Colors are reproduced with reasonable accuracy in standard Gloss finish unless noted Matte.
If match is critical, contact us at 800-434-4610 for actual samples

custom colors

Powder Coat Colors

RAL9016
Traffic White

RAL9002
Grey White

RAL9018
Papyrus White


RAL7038
Agate Grey

RAL7035
Light Grey


RAL7044
Silk Grey

RAL9010
Pure White

RAL9003
Signal White

RAL9001
Cream


RAL7047
Telegrey 4


RAL7036
Platinum Grey


RAL7045
Telegrey 1


RAL7032
Pebble Grey


RAL7033
Cement Grey


RAL7042
Traffic Grey A


RAL7004
Signal Grey


RAL7046
Telegrey 2


RAL7037
Dusty Grey


RAL7030
Stone Grey


RAL7034
Yellow Grey


RAL7005
Mouse Grey


RAL7040
Window Grey


RAL7012
Basalt Grey


RAL7043
Traffic Grey B


RAL7003
Moss Grey


RAL7013
Brown Grey


RAL7039
Quartz Grey


RAL7006
Beige Grey


RAL7000
Squirrel Grey


RAL7009
Green Grey


RAL7001
Silver Grey


RAL7010
Tarpaulin Grey


RAL7023
Concrete Grey


RAL7002
Olive Grey


RAL7022
Umbra Grey


RAL7011
Iron Grey



RAL6006
Grey Olive


RAL7008
Khaki Grey


RAL7016
Anthracite Grey


RAL7026
Granite Grey


RAL7024
Graphite Grey


RAL7021
Black Grey

RAL1013
Oyster White

RAL1015
Light Ivory

RAL1014
Ivory

RAL1000
Green Beige


RAL1001
Beige


RAL1011
Brown Beige


RAL1002
Sand Yellow


RAL1019
Grey Beige


RAL1020
Olive Yellow


RAL1024
Ochre Yellow


RAL1027
Curry


RAL1032
Broom Yellow


RAL1021 Yellow
RAL1018 Zinc Yellow
RAL1033 Dahlia Yellow
RAL2009 Traffic Orange
RAL2004 Pure Orange
RAL3004 Purple Red
RAL1016 Sulfur Yellow
RAL1012 Lemon Yellow
RAL1034 Pastel Yellow
RAL2010 Signal Orange
RAL2008 Bright Red Orange
RAL3005 Wine Red
RAL1028 Melon Yellow
RAL1023 Traffic Yellow
RAL2000 Yellow Orange
RAL2011 Deep Orange
RAL3002 Carmine Red
RAL3007 Black Red
RAL1003 Signal Yellow
RAL1017 Saffron Yellow
RAL2001 Red Orange
RAL2012 Salmon Orange
RAL3003 Ruby Redy
RAL3009 Oxide Red
RAL1004 Golden Yellow
RAL1006 Maize Yellow
RAL2002 Vermilion
RAL3000 Flame Red
RAL3013 Tomato Red
RAL3011 Brown Red
RAL1005 Honey Yellow
RAL1007 Daffodil Yellow
RAL2003 Pastel Orange
RAL3001 Signal Red
RAL3014 Antique Pink
RAL3012 Beige Red
RAL3015 Light Pink
RAL4001 Red Lilac
RAL4009 Pastel Violet
RAL3016 Coral Red
RAL4002 Red Violet
RAL4010 Telemagenta
RAL4003 Heather Violet
RAL4005 Blue Lilac
RAL3017 Rose
RAL3018 Strawberry Red
RAL3020 Traffic Red
RAL4004 Claret Violet
RAL4006 Traffic Purple
RAL4008 Signal Violet
RAL3022 Salmon Pink
RAL3027 Raspberry Red
RAL3031 Orient Red
RAL4007 Purple Violet


RAL5024
Pastel Blue


RAL5007
Brilliant Blue


RAL5000
Violet Blue


RAL5009
Azure Blue


RAL5018
Turquoise Blue


RAL6001
Emerald Green


RAL5015
Sky Blue


RAL5023
Distant Blue


RAL5001
Green Blue


RAL5010
Gentian Blue


RAL5019
Capri Blue


RAL6002
Leaf Green


RAL5017
Traffic Blue


RAL5014
Pigeon Blue


RAL5002
Ultramarine Blue


RAL5011
Steele Blue


RAL5020
Ocean Blue


RAL6003
Olive Green


RAL5005
Signal Blue


RAL5012
Light Blue


RAL5003
Sapphire Blue


RAL5008
Grey Blue


RAL5021
Water Blue


RAL6004
Blue Green


RAL5013
Cobalt


RAL5022
Night Blue


RAL5004
Black Blue


RAL6000
Patina Green


RAL6034
Pastel Turquoise


RAL6005
Moss Green


RAL6007
Bottle Green


RAL6015
Black Olive


RAL6024
Traffic Green


RAL6027
Light Green


RAL6019
Pastel Green


RAL6028
Pine Green


RAL6008
Brown Green


RAL6016
Turquoise Green


RAL6025
Fern Green


RAL6026
Opal Green


RAL6021
Pale Green


RAL6029
Mint Green


RAL6009
Fir Green


RAL6017
May Green


RAL6011
Reseda Green


RAL6013
Reed Green


RAL6020
Chrome Green


RAL6032
Signal Green


RAL6010
Grass Green


RAL6018
Yellow Green


RAL6012
Black Green


RAL6014
Yellow Olive


RAL6022
Olive Drab


RAL6033
Mint Turquoise


RAL8015
Chestnut Brown


RAL8012
Red Brown


RAL8024
Beige Brown


RAL8023
Orange Brown


RAL8002
Signal Brown


RAL8017
Chocolate Brown


RAL8019
Grey Brown


RAL9004
Signal Black


RAL8008
Olive Brown


RAL8003
Clay Brown


RAL8000
Green Brown


RAL8004
Copper Brown


RAL8016
Mahogany Brown


RAL8014
Sepia Brown


RAL8025
Pale Brown


RAL8001
Ocher Brown


RAL8007
Fawn Brown


RAL8022
Black Brown


RAL9005
Jet Black


RAL9011
Graphite Black


RAL8011
Nut Brown


RAL8028
Terra Brown


RAL9017
Traffic Black

Colors are reproduced with reasonable accuracy in standard Gloss finish unless noted Matte. If match is critical, contact us at 800-434-4610 for actual samples.

Standard Color Selections for Aluminum

Claridge offers the durability and brilliance of powder coat finishes for aluminum framed boards, mobile marker-boards cases, display cabinets and virtually any product offered with a metal or extruded aluminum component. Choose from any of the 24 standard colors shown below, or select from more than a 180 optional powder coat color examples inside – including textured and transparent finish choices.

RAL1013
Oyster White

RAL2009
Traffic Orange

RAL4001
Red Lilac

RAL5005
Signal Blue

RAL6005
Moss Green

RAL8017
Chocolate Brown

RAL1015
Light Ivory

RAL3003
Ruby Red

RAL4004
Claret Violet

RAL5013
Cobalt Blue

RAL6024
Traffic Green

RAL8025
Pale Brown

RAL1003
Signal Yellow

RAL3018
Strawberry Red

RAL5000
Violet Blue

RAL5015
Sky Blue

RAL7001
Silver Grey

RAL9003
Signal White

RAL1018
Zinc Yellow

RAL3020
Traffic Red

RAL5002
Ultramarine Blue

RAL6002
Leaf Green

RAL7015
Slate Grey

RAL9005
Jet Black

Optional Transparent Finishes

Aluminum Only

Transparent Green

Copper


Candy Red

Candy Teal


Candy Purple

Optional Textured Finishes


Aluminum Only



PPLS98550
Antique Copper Vein



PES98116
Goldtone Vein



PEBS98802
Bonded Silver Vein

Claridge®

800.434.4610
claridgeproducts.com



Claridge®

Under normal usage and maintenance, Claridge products are guaranteed for one year.

This guarantee covers repair or replacement of the manufactured parts that fail in materials or workmanship within the specified warranty period. Guarantee covers replacement of defective parts only and does not include cost of removal or re-installation.

800-434-4610 | claridgeproducts.com

SCS Global Services *does hereby certify that an independent assessment has been conducted on behalf of:*

Claridge Products & Equipment

480 Wrangler Drive
Suite 200, Coppell, 75019, United States

For the following product(s):

See Addendum

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

Indoor Advantage™ Gold

Indoor Air Quality Certified to SCS-105 v4.2

Conforms to the ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2021) and ANSI/BIFMA e.3-2024 (Credits 7.6.2, 7.6.3) for the open plan and (Credits 7.6.1, 7.6.2, 7.6.3) private office workstation parameters.[1] Also, conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for the open plan and school classroom parameters.[1]

[1]Modeled as Individual Furniture Components

Registration # SCS-IAQ-09072
Valid from: June 09, 2025 to June 08, 2026

Diana Kirsanova Phillips, Chief Assurance Officer,
SCS Global Services

Certification Addendum

Claridge Products & Equipment

Certification: Registration # SCS-IAQ-09072 | Valid from: June 09, 2025 to June 08, 2026

Addendum Conformance: **Indoor Advantage™ Gold**
Indoor Air Quality Certified to SCS-105 v4.2
Conforms to the ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2021) and ANSI/BIFMA e.3-2024 (Credits 7.6.2, 7.6.3) for the open plan and (Credits 7.6.1, 7.6.2, 7.6.3) private office workstation parameters.[1] Also, conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for the open plan and school classroom parameters.[1]
[1]Modeled as Individual Furniture Components

Products:

Visual Display Boards:
3300 Series Tackboard, 3400 Series Tackboard, 344 Wave Lectern, 370 Series Recessed Display Case, 390 Large Door Recessed Display Case, 725 Folding Screen, 748 Universal Display Case, 79 Hang-Tight Rail System, 800 Series Markerboard, 800 Series Tackboard, 800 Series Type BR/BL Combo Markerboard Tackboard, 900A Tackboard, 94 Combination Map Rail & Clip Strip, Aceno Room Divider Panels-Base, Aceno Track System, Arise Marker Walls, Arise Markerboard, Aspire Markerboards, Claridge LCS Porcelain, Classic Series Bulletin Board Cabinet, Classic Series Display Case, Concept Markerboard, Concept Tackboard, Connect X2 3 Caster Mobile Markerboard, Connect X2 Combination Markerboard/Tackboard, Connect X2 Full Height Mobile Markerboard Procelain-Glass, Connect X2 Markerboard Porcelain-Glass, Connect X2 Partial Height Markerboard, Connect X2 Space Creator Porcelain-Cork-Fabric, Connect X2 Tackboard, Contemporary Series Bulletin Board Cabinet, Contemporary Series Bulletin Board Cabinet, Contemporary Style Laminate Lecture Unit, Contio Mobile Markerboard, CS Clip Strips, Cursive Board, Cursive One Markerboard-Tackboard, Custom Printed Glass Boards, Deluxe Series Bulletin Board Cabinet, Deluxe Series Revolving Two-sided Mobile Markerboard, Deluxe Two-sided Mobile Markerboard, Display Case-Cabinet, Economy and Deluxe Map & Display Rail, Edify Mobile Markerboard, EDR Exhibit Rail, Envision Graphics Markerboard, Economy and Deluxe Map & Display Rail, Evolve Markerboard, Evolve Sliding System, Evolve Tackboard, EZ Fit Markerboard Panel, Framed Tackboard, Glass Marker Walls, Glass Markerboards, Horizontal Sliding Markerboards, Imperial Series Bulletin Board Cabinet, Large Contemporary Series Bulletin Board Cabinet, Large Format Glass Marker System, Large Format Porcelain Marker System, LCS Deluxe Markerboard-Aluminum Frame,

Certification Addendum

Claridge Products & Equipment

Certification: Registration # SCS-IAQ-09072 | Valid from: June 09, 2025 to June 08, 2026

Addendum Conformance: **Indoor Advantage™ Gold**
Indoor Air Quality Certified to SCS-105 v4.2
Conforms to the ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2021) and ANSI/BIFMA e.3-2024 (Credits 7.6.2, 7.6.3) for the open plan and (Credits 7.6.1, 7.6.2, 7.6.3) private office workstation parameters.[1] Also, conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for the open plan and school classroom parameters.[1]
[1]Modeled as Individual Furniture Components

Products:

Visual Display Boards Continued:
LCS Deluxe Markerboard-Aluminum Frame No Map Rail, LCS Deluxe Markerboard-Wood Frame, LCS Elite Markerboard, LCS Select Markerboard, LCS Wall-Write Marker Wall, LCS-Glass Combo Boards, Magnetic Glass Markerboard, Magnetic Non-Glare Glass Markerboard, Marker Walls, Merit Series Markerboard, Mina Mobile, Mina Space Creator, Non-Magnetic Non-Glare Glass Markerboard, Premier Wall Mounted Display Case, Premiere Freestanding Display Case, Premiere Series Reversible Mobile Markerboard w/ aluminum trim, Profile Frameless LCS Porcelain Markerboard, Revere Series Bulletin Board, Revere Series Bulletin Board Cabinet, Ripple Space Divider Acoustic-Acrylic, Series 1 Markerboard, Series 1 Tackboard, Series 5 Markerboard, Series 5 Tackboard, Series 2 Markerboard, Series 2 Tackboard, Series 2500 Markerboard, Series 3 Markerboard, Series 3 Tackboard, Series 4 Markerboard, Series 4 Tackboard, Series 8 Markerboard, Series 8 Tackboard, Sliding Marker Wall Systems Porcelain-Glass, Switch Markerboard Porcelain-Glass, Switch Mobile Markerboard Porcelain-Glass, Tableau Markerboard Porcelain-Glass, Tableau Tackboard, Tack Wall, TacPads Acoustic Fabric-Wrapped, Trak-it-system, TrimLine Markerboard, Universal Series Bulletin Board Cabinet, Utility A-Frame Mobile Markerboard, Venue Markerboard Porcelain-Glass, Venue Space Divider Porcelain-Glass Acoustic, Venue T-Leg Mobile Markerboard porcelain-Glass, Venue V-Leg Mobile Markerboard Porcelain-Glass, Vertical Sliding Markerboards, Xchange Graphic Board
Excludes products with wood trim. Excludes products manufactured with a cork substrate. Tackboard included are constructed with a fabricork or designer fabric over Duracore or Micore.