
## **Edge Wrapped**

## Frameless Tackboard





Edge Wrapped Tackboards are frameless fabric wrapped tackable boards with radius or square corners. Stylish edge to edge Fabricork or Guilford of Maine FR701 fabric choices of colors complement any space with function.

- Tackable surface in Fabricork or Guilford of Maine FR701 Fabric
- Fabric wrapped panels have 2" radius or square corners
- Eyelet hangers for easy installation
- For installation under cabinets or desk hutches, optional hook and loop hole hangers are available



Radius Corner Detail

#### Standard Sizes (HxW)

2' x 3'

3' x 4'

4' x 4'

4' x 6'


4' x 8'

**LEARN MORE** 





# **Tackboard**



#### INSTALLATION INSTRUCTIONS

#### **Tools Needed**

Tape Measure Utility Knife/Scissors Drill/Driver Level

#### Instructions

- 1. Mark the wall for the desired height of the top of the board and the left or right side. Measure down from desired height mark 3/16" and make a level line the width of the board.
- 2. Lay the board face down. Measuring from the side that was marked on the wall. Measure the placement of the hangers on the back of the board.
- 3. Transfer those measurements to the level line.
- 4. Drill on the level line. Insert appropriate hardware. Leave approximately 1/8" gap between the wall and hardware head.
  - Note: Make sure the head of the hardware will pass through the opening of the hanger.
- 5. With the hanger hinged away from the board. Position board so the hardware will pass through the hangers, then lower to secure the board.

#### For under cabinets and desk hutches with optional hook and loop hold hangers

- 1. Make sure the wall is clean of any dirt or dust.
- 2. Make a level line on the wall for the desired height of the board.
- 3. Engage the hook and loop together and cut the strips that best fits the orientation of the board placement.
- 4. Peel the paper backer off one side of the strips. Make sure the paper is removed from the same side of all the
- 5. Depending on the size of the board and strips. Place the strips 2" from the ends and center the additional strips.
- 6. Press the strips in place making sure the adhesive makes good contact with the board.
- 7. Peel the paper backer off the strips. Place the board on the level line and press the board to the wall. Make sure the adhesive makes good contact with the wall.



WARNING

Risk of injury to installers and users Read the entire assembly directions before beginning assembly.





### TACKBOARD FABRICS

#### FR701® 2100


#### Specifications

Content	100% post-consumer recycled polyester
Weight	16.0 ± 0.5 oz./lin. yd.
Width	66" min. usable

#### Acoustical Performance

The plot below summarizes impedance tube measurements of absorption of an anechoic termination and various fabrics in front of the anechoic termination.

## Acoustical Performance for Panel Applications (ISO 10534-2)



NRC of anechoic termination - 1.00

NRC of fabric in front of anechoic termination-.95

#### Performance



Colorfastness to Light (AATCC 16.3 Option 3) Grade 4 min. at 40 hours



Colorfastness to Crocking (AATCC 8) Grade 4 min. dry & Grade 3 min. wet



Breaking Strength (ASTM D5034) 150 lbf min. warp and fill



Flammability (ASTM E84) Class 1 or A

#### Cleaning Code

Clean with water based cleaning agents, foam or pure, water free solvents. Vacuuming or light brushing is recommended to prevent dust and soil buildup.

#### Miscellaneous

Colors may vary between dye lots. This is non-directional fabric. Proudly woven in the USA supporting our local communities.



Terratex is a registered trademark of True Textiles, Inc. and designates fabrics that are made from 100% recycled or compostable material using increasingly sustainable mantesturing practices to produce a high quality product that is recyclable at the end of its useful life.



 ${\rm CO_2}$  emissions from 100% of the electricity used by the manufacturer to produce this product have been measured and offset in accordance with The CarbonNeutral Protocol.



This pattern is included in the underwriters laboratory panel fabric recognition program. Additional testing of this U.L. recognized component fabric is not required on approved panels from participating manufacturers.





**KE584 POWER** 

Claridge Fabricork Vinyl Bulletin Board is made of vinyl coated fabric that will wear almost indefinitely and stay new-looking for years. Fabricork is entirely washable. Spots and soil wash away with household soap and water.

Featuring Koroseal® Wallcovering Manufactured by Koroseal Interior Products LLC







KL490 RECTORY



**KB290 STERLING** 

KV230 OYSTER

KE592 GENTLEMAN GREY

KL498 WINTHROPE


**KB278 PACIFIC** 




















KB662 GREY **KB664 ANTIQUE** 



#### **FEATURES**

- Meets or exceeds Type 1 requirements in Federal Specification CCC-W-408A
- Manufactured with water based inks and coatings
- Has a water based acrylic top coat for improved cleanability
- · Cadmium and Mercury Free
- Meets CA 01350 requirements
- Contains Early Warning Effect<sup>®</sup> Life Safety and Property Protection
- Can be supplied Micro-vented to reduce potential for mold and mildew growth

#### **PATTERNS**

- Viewpoint
- Esquire
- Linden
- Belair

#### **PROPERTIES**

Total Weight Viewpoint, Esquire and Linden - 21 oz/linear yd.

Belair - 15 oz/linear yd.

Average Thickness 0.017 to 0.021 in.

Tensile (typical) Viewpoint, Esquire and Linden - 50 x 55 lbf minimum

Belair - 30 x 30 lbf minimum

Tear (typical) Viewpoint, Esquire and Linden - 25 x 25 minimum

Belair - 12 x 12 minimum

ASTM E84 Test Results

Flame Spread

Smoke Developed

Class A

25 or less

50 or less

Koroseal Interior Products LLC Koroseal Wallcovering • www.koroseal.com

Koroseal and Early Warning Effectare trademarks and registered trademarks of Koroseal Interior Products LLC.





Under normal usage and maintenance, Claridge products are guaranteed for one year.

This guarantee covers repair or replacement of the manufactured parts that fail in materials or workmanship within the specified warranty period. Guarantee covers replacement of defective parts only and does not include cost of removal or re-installation.

SCS Global Services does hereby certify that an independent assessment has been conducted on behalf of:

## Claridge Products & Equipment

480 Wrangler Drive Suite 200, Coppell, 75019, United States

For the following product(s):

See Addendum

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

#### Indoor Advantage™ Gold

Indoor Air Quality Certified to SCS-105 v4.2

Conforms to the ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2021) and ANSI/BIFMA e.3-2024 (Credits 7.6.2, 7.6.3) for the open plan and (Credits 7.6.1, 7.6.2, 7.6.3) private office workstation parameters.<sup>1</sup> Also, conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for the open plan and school classroom parameters.<sup>1</sup>

<sup>1</sup>Modeled as Individual Furniture Components

Registration # SCS-IAQ-09072 Valid from: June 09, 2025 to June 08, 2026







Herry

Diana Kirsanova Phillips, Chief Assurance Officer, SCS Global Services

#### Certification Addendum

#### **Claridge Products & Equipment**

Certification: Registration # SCS-IAQ-09072 | Valid from: June 09, 2025 to June 08, 2026

Addendum Indoor Advantage™ Gold

Conformance: Indoor Air Quality Certified to SCS-105 v4.2

Conforms to the ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2021) and

ANSI/BIFMA e.3-2024 (Credits 7.6.2, 7.6.3) for the open plan and (Credits 7.6.1, 7.6.2, 7.6.3) private office workstation parameters. Also, conforms to the CDPH/EHLB Standard Method (CA 01350)

v1.2-2017 for the open plan and school classroom parameters.1

<sup>1</sup>Modeled as Individual Furniture Components

#### Products:

#### **Visual Display Boards:**

3300 Series Tackboard, 3400 Series Tackboard, 344 Wave Lectern, 370 Series Recessed Display Case, 390 Large Door Recessed Display Case, 725 Folding Screen, 748 Universal Display Case, 79 Hang-Tight Rail System, 800 Series Markerboard, 800 Series Tackboard, 800 Series Type BR/BL Combo Markerboard Tackboard, 900A Tackboard, 94 Combination Map Rail & Clip Strip, Aceno Room Divider Panels-Base, Aceno Track System, Arise Marker Walls, Arise Markerboard, Aspire Markerboards, Claridge LCS Porcelain, Classic Series Bulletin Board Cabinet, Classic Series Display Case, Concept Markerboard, Concept Tackboard, Connect X2 3 Caster Mobile Markerboard, Connect X2 Combination Markerboard/Tackboard, Connect X2 Full Height Mobile Markerboard Procelain-Glass, Connect X2 Markerboard Porcelain-Glass, Connect X2 Partial Height Markerboard, Connect X2 Space Creator Porcelain-Cork-Fabric, Connect X2 Tackboard, Contemporary Series Bulletin Board Cabinet, Contemporary Series Bulletin Board Cabinet, Contemporary Style Laminate Lecture Unit, Contio Mobile Markerboard, CS Clip Strips, Cursive Board, Cursive One Markerboard-Tackboard, Custom Printed Glass Boards, Deluxe Series Bulletin Board Cabinet, Deluxe Series Revolving Two-sided Mobile Markerboard, Deluxe Two-sided Mobile Markerboard, Display Case-Cabinet, Economy and Deluxe Map & Display Rail, Edify Mobile Markerboard, EDR Exhibit Rail, Envision Graphics Markerboard, Economy and Deluxe Map & Display Rail, Evolve Markerboard, Evolve Sliding System, Evolve Tackboard, EZ Fit Markerboard Panel, Framed Tackboard, Glass Marker Walls, Glass Markerboards, Horizontal Sliding Markerboards, Imperial Series Bulletin Board Cabinet, Large Contemporary Series Bulletin Board Cabinet, Large Format Glass Marker System, Large Format Porcelain Marker System, LCS Deluxe Markerboard-Aluminum Frame,



#### Certification Addendum

#### **Claridge Products & Equipment**

Certification: Registration # SCS-IAQ-09072 | Valid from: June 09, 2025 to June 08, 2026

Addendum Indoor Advantage™ Gold

Conformance: Indoor Air Quality Certified to SCS-105 v4.2

Conforms to the ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2021) and

ANSI/BIFMA e.3-2024 (Credits 7.6.2, 7.6.3) for the open plan and (Credits 7.6.1, 7.6.2, 7.6.3) private office workstation parameters. Also, conforms to the CDPH/EHLB Standard Method (CA 01350)

v1.2-2017 for the open plan and school classroom parameters.1

<sup>1</sup>Modeled as Individual Furniture Components

#### Products:

#### **Visual Display Boards Continued:**

LCS Deluxe Markerboard-Aluminum Frame No Map Rail, LCS Deluxe Markerboard-Wood Frame, LCS Elite Markerboard, LCS Select Markerboard, LCS Wall-Write Marker Wall, LCS-Glass Combo Boards, Magnetic Glass Markerboard, Magnetic Non-Glare Glass Markerboard, Marker Walls, Merit Series Markerboard, Mina Mobile, Mina Space Creator, Non-Magnetic Non-Glare Glass Markerboard, Premier Wall Mounted Display Case, Premiere Freestanding Display Case, Premiere Series Reversible Mobile Markerboard w/ aluminum trim, Profile Frameless LCS Porcelain Markerboard, Revere Series Bulletin Board, Revere Series Bulletin Board Cabinet, Ripple Space Divider Acoustic-Acrylic, Series 1 Markerboard, Series 1 Tackboard, Series 5 Markerboard, Series 5 Tackboard, Series 2 Markerboard, Series 2 Tackboard, Series 2500 Markerboard, Series 3 Markerboard, Series 3 Tackboard, Series 4 Markerboard, Series 4 Tackboard, Series 8 Markerboard, Series 8 Tackboard, Sliding Marker Wall Systems Porcelain-Glass, Switch Markerboard Porcelain-Glass, Switch Mobile Markerboard Porcelain-Glass, Tableau Markerboard Porcelain-Glass, Tableau Tackboard, Tack Wall, TacPads Acoustic Fabric-Wrapped, Trak-it-system, TrimLine Markerboard, Universal Series Bulletin Board Cabinet, Utility A-Frame Mobile Markerboard, Venue Markerboard Porcelain-Glass, Venue Space Divider Porcelain-Glass Acoustic, Venue T-Leg Mobile Markerboard porcelain-Glass, Venue V-Leg Mobile Markerboard Porcelain-Glass, Vertical Sliding Markerboards, Xchange Graphic Board

Excludes products with wood trim. Excludes products manufactured with a cork substrate. Tackboard included are constructed with a fabricork or designer fabric over Duracore or Micore.

